

# American Logging Tool Company

EVART, MICH.

Manufacturers of

## Logging Tools and Appliances

AND

### Logging Tool Handles

Sole Manufacturers of the Old Reliable
"Champion," "Blue Line," "Evart"
"Sanford," "Oshkosh," "Clyde"
"Columbus," and "American" Brands
of Logging Tools

General Office EVART, MICH.

Catalogue C

Please destroy all previous issues and order from this Catalogue only

### **FOREWORD**

We take pleasure in presenting to the trade our latest illustrated catalogue of LOGGING TOOLS, which we have endeavored to make as complete as possible.

#### **FACILITIES**

We offer the product of three factories, equipped with the most modern machinery and under the supervision of men of long experience in this line, and fully guarantee all tools free from imperfections of material or workmanship.

#### **DELIVERIES**

Being in close daily touch with our factories, we are able to promise the trade prompt execution of all orders entrusted to us.

#### HANDLE SUPPLY

The timber suitable for Logging Tool Handles must be of the highest quality, and should be air seasoned. The supply of such timber is constantly diminishing, which necessitates the enlarged facilities at our command to properly provide for this very important item.

#### **PRICES**

Our prices will always be as low as the high quality of our product and the market price of raw material and labor will permit.

We invite your inquiries.

#### AMERICAN LOGGING TOOL CO.

#### LIST PRICES

The list prices shown in this catalogue take effect October 1, 1913, and all quotations and sales after that date are based on them. All previous list prices and quotations are cancelled and withdrawn.

#### **SHIPMENTS**

Our goods are manufactured at Evart, Michigan; Oshkosh, Wisconsin, and Columbus, Indiana. Our factories are so located as to insure quick delivery to all parts of the country at lowest rates of freight.

Regarding shipments from any particular factory: When we are not restricted the order will be placed with factory which can give the best service in the matter of prompt shipment and delivery.

#### **TERMS**

All bills are net sixty days from date of invoice, less two per cent discount for cash if paid within ten days from date of invoice. Bills not paid within sixty days are subject to sight draft.

#### **PAYMENTS**

Remittances should be made in Chicago or New York exchange, as under the new clearing house rules exchange is charged on all other checks.


#### **CLAIMS**

Claims for deductions must be made within five days after receipt of goods. Our responsibility ceases when Bill of Lading is obtained. We do not guarantee delivery of goods.

#### **QUOTATIONS**

All quotations are for immediate acceptance, as prices are SUB-JECT TO CHANGE WITHOUT NOTICE.

#### MALLEABLE SPLIT RIB SOCKET PEAVIES




With select rock maple handles and "duck bill" hooks.

N	o. 435—21/4	x 3	Foot Handles.	Per dozen	\$23.50
N	o. 436—	31/2	Foot Handles.	Per dozen	24.00
N	o. 1—	4	Foot Handles.	Per dozen	24.70
N	o. 2—	41/2	Foot Handles.	Per dozen	25.40
N	o. 3—	5	Foot Handles.	Per dozen	26.10
N	o. $4-21/2$	x 4	Foot Handles.	Per dozen	25.70
N	o. 5—	41/2	Foot Handles.	Per dozen	26.40
N	o. 6—	5	Foot Handles.	Per dozen	27.10
N	o. 7—	51/2	Foot Handles.	Per dozen	27.80
No	o. $8-2\frac{3}{4}$	$x \frac{41}{2}$	Foot Handles.	Per dozen	30.40
No	o. 9—	5	Foot Handles.	Per dozen	31.10
No	o. 10—	51/2	Foot Handles.	Per dozen	31.80
No	o. 11—	6	Foot Handles.	Per dozen	32.50
No	o. 13—3	x 5	Foot Handles.	Per dozen	34.90
No	. 14—	51/2	Foot Handles.	Per dozen	35.60
No	o. 15—	6	Foot Handles.	Per dozen	36.30

### AMERICAN LOGGING TOOL COMPANY


#### MALLEABLE SPLIT RIB SOCKET PEAVIES



With select hickory handles and "duck bill" hooks.

				D 1 #20.00
No.	437-21/4 2	3	Foot Handles.	Per dozen
No.	438—	31/2	Foot Handles.	Per dozen
	31—	4	Foot Handles.	Per dozen
No.	32—	41/2	Foot Handles.	Per dozen 32.50
	33—	5	Foot Handles.	Per dozen 33.50
	34-21/2:	x 4	Foot Handles.	Per dozen 31.90
	35—		Foot Handles.	Per dozen 32.90
	36—	, -	Foot Handles.	Per dozen
	37—		Foot Handles.	Per dozen
		, -	Foot Handles.	Per dozen 37.80
	39		Foot Handles.	Per dozen
	40—		Foot Handles.	Per dozen 39.80
	41—	/ -	Foot Handles.	Per dozen 40.80
			Foot Handles.	Per dozen 43.00
	44—		Foot Handles.	Per dozen 44.00
		, -	"	Per dozen 45.00
No.	45—	6	root mandles.	Ter dozen

#### MALLEABLE SOLID RIB SOCKET PEAVIES



With select rock maple handles and "duck bill" hooks.

No.	344-21/4	x 3	Foot Handles.	Per dozen	\$23.50
No.	345—	31/2	Foot Handles.	Per dozen	24.00
No.	16—	4	Foot Handles.	Per dozen	24.70
No.	17—	41/2	Foot Handles.	Per dozen	25.40
No.	18—	5	Foot Handles.	Per dozen	26.10
No.	19-21/2	x 4	Foot Handles.	Per dozen	25.70
No.	20—	41/2	Foot Handles.	Per dozen	26.40
No.	21—	5	Foot Handles.	Per dozen	27.10
No.	22—	51/2	Foot Handles.	Per dozen	27.80
No.	23-23/4	x 41/2	Foot Handles.	Per dozen	30.40
No.	24—	5	Foot Handles.	Per dozen	31.10
No.	25—	51/2	Foot Handles.	Per dozen	31.80
No.	26—	6	Foot Handles.	Per dozen	32.50
No.	28—3	x 5	Foot Handles.	Per dozen	34.90
No.	29—	51/2	Foot Handles.	Per dozen	35.60
No.	30—			Per dozen	

With select hickory handles and "duck bill" hooks.

#### MALLEABLE SOLID RIB SOCKET PEAVIES



With select hickory handles and "duck bill" hooks.

NI.	246 21/.	. 3	Foot Handles.	Per dozen\$30.00
	$346 - 21/4 \times 2$		Foot Handles.	Per dozen
No.	347—	, -		7 CT GOZCH:
No.	46—	4	Foot Handles.	Per dozen
No.	47—	41/2	Foot Handles.	Per dozen
	48—	5	Foot Handles.	Per dozen
	49-21/2 2	4	Foot Handles.	Per dozen
	50—		Foot Handles.	Per dozen
	51—	, -	Foot Handles.	Per dozen
	52—		Foot Handles.	Per dozen 34.90
		, _	Foot Handles.	Per dozen 37.80
	54—		Foot Handles.	Per dozen 38.80
	55—		Foot Handles.	Per dozen 39.80
		, -	Foot Handles.	Per dozen 40.80
No.	56—	0	root I fandles.	
No.	58—3	x 5	Foot Handles.	Per dozen
No.	59—	51/2	Foot Handles.	Per dozen 44.00
No.	60—	6	Foot Handles.	Per dozen 45.00

#### MALLEABLE SOLID SMOOTH SOCKET PEAVIES



Made with select rock maple handles and "duck bill" hooks.

No.	. 900-21/4 2	x 3	Foot Handles.	Per dozen	\$23.50
No.	. 901—	31/2	Foot Handles.	Per dozen	
No.	902—	4	Foot Handles.	Per dozen	
No.	903—	41/2	Foot Handles.	Per dozen	
No.	904—	5	Foot Handles.	Per dozen	26.10
No.	905-21/2  x	4	Foot Handles.	Per dozen	
No.	906—	41/2	Foot Handles.	Per dozen	
No.	907—	5	Foot Handles.	Per dozen	27.10
No.	908—	51/2	Foot Handles.	Per dozen	27.80
No.	$909-2\frac{3}{4}$ x	41/2	Foot Handles.	Per dozen	
	910—	5	Foot Handles.	Per dozen	
No.	911—	51/2	Foot Handles.	Per dozen	
	912—	6	Foot Handles.	Per dozen	
No.	914 - 3 x	5	Foot Handles.	Per dozen	
	915—	51/2	Foot Handles.	Per dozen	
No.	916—	6	Foot Handles.	Per dozen	36.30

ORDER BY NUMBER, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL. CUT SHOWS ROUND HEAD

#### MALLEABLE SOLID SMOOTH SOCKET PEAVIES




With select hickory handles and "duck bill" hooks.

No. 917—21/4	x 3	Foot Handles.	Per dozen\$30.00	0
No. 918—		Foot Handles.	Per dozen 30.50	
No. 919—	, -	Foot Handles.	Per dozen 31.50	
No. 920—	41/2	Foot Handles.	Per dozen 32.50	0
No. 921—	5	Foot Handles.	Per dozen 33.50	
No. 922-21/2	x 4	Foot Handles.	Per dozen 31.90	0
No. 923—		Foot Handles.	Per dozen 32.90	0
No. 924—	5	Foot Handles.	Per dozen	0
No. 925—	51/2	Foot Handles.	Per dozen 34.90	0
No. 926-23/4	x 41/2	Foot Handles.	Per dozen 37.80	0
No. 927—	5	Foot Handles.	Per dozen 38.80	0
No. 928—	51/2	Foot Handles.	Per dozen 39.80	0
No. 929—	6	Foot Handles.	Per dozen 40.80	0
No. 931—3	x 5	Foot Handles.	Per dozen	0
No. 932—	51/2	Foot Handles.	Per dozen 44.00	0
No. 933—	6	Foot Handles.	Per dozen 45.00	0

ORDER BY NUMBER, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL. CUT SHOWS ROUND HEAD

#### MALLEABLE SOLID RIB SOCKET PEAVIES




#### SPECIAL LIGHT WEIGHT PEAVEY

Extra light and strong throughout, and especially adapted for use on rapid water. We use strictly second growth Rock Maple Handles in this Peavey and can furnish either Duck Bill or Round Point Hooks—a very superior tool.

Made with select rock maple handles and "duck bill" hooks.

No. 935—21/4 x 4	Foot Handles.	Per dozen	\$27.10
No. 936— 41/2	Foot Handles.	Per dozen	27.80
No. 937— 5	Foot Handles.	Per dozen	28.50
No. $938 - 2\frac{5}{16} \times 4$	Foot Handles.	Per dozen	27.10
No. 939— 41/2	Foot Handles.	Per dozen	27.80
No. 940— 5	Foot Handles.	Per dozen	28.50

# MALLEABLE SOLID SMOOTH SOCKET PEAVIES PENNSYLVANIA PATTERN




#### With select maple handles and "duck bill" hooks.

No. 151-21/4 x	31/2	Foot Handles.	Per dozen	\$25.25
No. 152—	4	Foot Handles.	Per dozen	26.00
No. 153—	41/2	Foot Handles.	Per dozen	26.70
No. 154—	5	Foot Handles.	Per dozen	27.40
No. $155-21/2$ x	31/2	Foot Handles.	Per dozen	26.00
No. 156—	4	Foot Handles.	Per dozen	26.70
No. 157—	41/2	Foot Handles.	Per dozen	27.40
No. 158—	5	Foot Handles.	Per dozen	28.20

#### With select hickory handles and "duck bill" hooks.

No. 159-21/4	$x \frac{31}{2}$	Foot Handles.	Per dozen	\$31.70
No. 160—	4	Foot Handles.	Per dozen	33.00
No. 161—	41/2	Foot Handles.	Per dozen	34.00
No. 162—	5	Foot Handles.	Per dozen	35.00
No. 163-21/2:	$x \frac{31}{2}$	Foot Handles.	Per dozen	32.00
No. 164—	4	Foot Handles.	Per dozen	33.30
No. 165—	41/2	Foot Handles.	Per dozen	34.40
No. 166—	5	Foot Handles.	Per dozen	35.40


#### WROUGHT STEEL SOCKET AND CLASP PEAVIES



With select rock maple handles and "duck bill" hooks.

No.	348—21/4 x	31/2	Foot Handles.	Per dozen\$34.00
	61—		Foot Handles.	Per dozen 35.00
No.	62—	41/2	Foot Handles.	Per dozen 36.00
No.	63—	5	Foot Handles.	Per dozen 37.00
No.	64-21/2  x	4	Foot Handles.	Per dozen 36.00
No.	65—	41/2	Foot Handles.	Per dozen 37.00
No.	66—	5	Foot Handles.	Per dozen 38.00
No.	67—	51/2	Foot Handles.	Per dozen 39.00
No.	$68-2^{3}/4 \text{ x}$	41/2	Foot Handles.	Per dozen 41.75
No.	69—	5	Foot Handles.	Per dozen 42.75
No.	70—	51/2	Foot Handles.	Per dozen 43.75
No.	71—	6	Foot Handles.	Per dozen 44.75
No.	73—3 x	5	Foot Handles.	Per dozen 47.25
No.	74	51/2	Foot Handles.	Per dozen 48.25
No.	75—	6	Foot Handles.	Per dozen 49.25


#### WROUGHT STEEL SOCKET AND CLASP PEAVIES



With select hickory handles and "duck bill" hooks.

No.	349-21/4:	$x \frac{31}{2}$	Foot Handles.	Per dozen	\$39.00
No.	76—	4	Foot Handles.	Per dozen	39.90
No.	77—	41/2	Foot Handles.	Per dozen	40.80
No.	78—	5	Foot Handles.	Per dozen	41.70
No.	79-21/2	x 4	Foot Handles.	Per dozen	41.40
No.	80—	41/2	Foot Handles.	Per dozen	42.30
No.	81—	5	Foot Handles.	Per dozen	43.20
No.	82—	51/2	Foot Handles.	Per dozen	44.10
No.	83-23/4	$x \frac{41}{2}$	Foot Handles.	Per dozen	48.00
No.	84—	5	Foot Handles.	Per dozen	48.90
No.	85—	51/2	Foot Handles.	Per dozen	49.80
No.	86—	6	Foot Handles.	Per dozen	50.70
No.	88—3	x 5	Foot Handles.	Per dozen	54.35
No.	89—	51/2	Foot Handles.	Per dozen	55.25
No.	90—	6	Foot Handles.	Per dozen	56.15


#### RAFTING PEAVIES, WROUGHT STEEL SOCKET AND PICK IN ONE PIECE



With select rock maple handles and "duck bill" hooks.

			Foot Handles. Foot Handles.	Per dozen	
	91—			Per dozen	
	92—	, -	Foot Handles.		
No.	93—	5	Foot Handles.	Per dozen	37.00
No.	94-21/2	x 4	Foot Handles.	Per dozen	36.00
No.	95—	41/2	Foot Handles.	Per dozen	37.00
No.	96—	5	Foot Handles.	Per dozen	38.00
No.	97—	51/2	Foot Handles.	Per dozen	39.00
No.	98-23/4	x 41/2	Foot Handles.	Per dozen	41.75
No.	99—	5	Foot Handles.	Per dozen	42.75
No.	100—	51/2	Foot Handles.	Per dozen	43.75
No.	101—	6	Foot Handles.	Per dozen	44.75
No.	103—3	x 5	Foot Handles.	Per dozen	47.25
No.	104—	51/2	Foot Handles.	Per dozen	48.25
No.	105—	6	Foot Handles.	Per dozen	49.25


# RAFTING PEAVIES, WROUGHT STEEL SOCKET AND PICK IN ONE PIECE



With select hickory handles and "duck bill" hooks.

No. 1 No. 1	06— 07— 08— 10— 11— 12— 13—2 <sup>3</sup> / <sub>4</sub> : 14— 15— 16— 18—3	4 41/2 5 x 4 41/2 5 51/2 x 41/2 5 51/2 6 x 5	Foot Handles.	Per dozen	39.90 40.80 41.70 41.40 42.30 43.20 44.10 48.00 49.80 50.70 54.35 55.25
No. 1 No. 1		$\frac{51/2}{6}$	Foot Handles. Foot Handles.	Per dozen	


# RAFTING PEAVIES, WROUGHT STEEL SOCKET PICK AND CLASP IN ONE PIECE



With select rock maple handles and "duck bill" hooks.

No. 433-21/4:	$x \frac{31}{2}$	Foot Handles.	Per dozen	\$34.90
No. 121—	4	Foot Handles.	Per dozen	35.90
No. 122—	41/2	Foot Handles.	Per dozen	36.90
No. 123—	5	Foot Handles.	Per dozen	37.90
No. 124-21/2:	x 4	Foot Handles.	Per dozen	37.00
No. 125—	41/2	Foot Handles.	Per dozen	38.00
No. 126—	5	Foot Handles.	Per dozen	39.00
No. 127—	51/2	Foot Handles.	Per dozen	40.00
No. 128-23/4:	$x \frac{41}{2}$	Foot Handles.	Per dozen	44.35
No. 129—	5	Foot Handles.	Per dozen	45.35
No. 130—	51/2	Foot Handles.	Per dozen	46.35
No. 131—	6	Foot Handles.	Per dozen	47.35
No. 133—3	x 5	Foot Handles.	Per dozen	52.00
No. 134—	51/2	Foot Handles.	Per dozen	53.00
No. 135—	6	Foot Handles.	Per dozen	54.00

# RAFTING PEAVIES, WROUGHT STEEL SOCKET PICK AND CLASP IN ONE PIECE




With select hickory handles and "duck bill" hooks.

No	. 434—21/4	$x \frac{31}{2}$	Foot Handles.	Per dozen	\$40.25
No	. 136—	4	Foot Handles.	Per dozen	41.25
No	. 137—	41/2	Foot Handles.	Per dozen	42.25
No	. 138—	5	Foot Handles.	Per dozen	43.25
No	139-21/2	x 4	Foot Handles.	Per dozen	42.50
No	. 140—	41/2	Foot Handles.	Per dozen	43.50
No	. 141—	5	Foot Handles.	Per dozen	44.50
No	. 142—	51/2	Foot Handles,	Per dozen	45.50
No	$143 - 2\frac{3}{4}$	$x \frac{41}{2}$	Foot Handles.	Per dozen	51.45
No	. 144—	5	Foot Handles.	Per dozen	52.45
No	. 145—	51/2	Foot Handles.	Per dozen	53.45
No	. 146—	6	Foot Handles.	Per dozen	54.45
No	. 148—3	x 5	Foot Handles.	Per dozen	58.00
No	. 149—	51/2	Foot Handles.	Per dozen	59.00
No	. 150—	6	Foot Handles.	Per dozen	60.00

Order by number, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL, AS SHOWN IN CUT

### MALLEABLE SOLID SOCKET PEAVIES WITH PATENT SCREW PICK AND WASHER



Claim—A peavey consisting of the handle A, having a tapering shoulderless lower extremity, a tapering and shoulderless metallic socket B, fitted to the tapered extremity of the handle and projecting beyond the same, a washer D, arranged at the lower and smaller end of the socket, and the spear or metallic point C, having a shoulder resting against the washer and provided with a screw threaded shank C 2, engaging the tapering extremity of the handle and serving by the rotation of the spear or metallic point to draw the tapering end of the handle tightly into the metallic socket.

DESCRIPTION

The objects of our invention are, first, to provide a substantial and durable attachment of the socket to the handle; second, to adjust the pike so that in use it will have the least strain upon the wood; and, third, to use the shank of the pike for the purpose of tightening the handle in the sockets when these parts become loosened from continued use or wetting and drying of the wood which causes shrinkage. All that is necessary to be done to tighten it up is with the ordinary monkey wrench to screw down the pike. Washer "D" is provided with a flange around its outer edge, which, with the body, forms a shoulder. The inner portion of the washer fits in closely between the rim of the lower end of the socket as shown in Fig. 6. But if found desirable, the washer "D" may be made integral with the socket "B" but we think the detached washer more desirable.

With select rock maple handles and "duck bill" hooks.

			ob wird dedoil bill	
No. 172-21/2	x 4	Foot Handles.	Per dozen	\$28.70
No. 173—	41/2	Foot Handles.	Per dozen	29.40
		Foot Handles.	Per dozen	30.10
		Foot Handles.	Per dozen	30.80
No. 176-23/4	x 41/2	Foot Handles.	Per dozen	33.40
		Foot Handles.	Per dozen	
		Foot Handles.	Per dozen	34.80
		Foot Handles.	Per dozen	
		Foot Handles.	Per dozen	37.90
		Foot Handles.	Per dozen	38.60
No. 182—	, -	Foot Handles.	Per dozen	
			lles and "duck bill" l	
=======================================	2011	of money mana	TOO WILL OLDEDIE NIEE	
No. 188-21/2	x 4	Foot Handles.	Per dozen	\$35.40
No. 188—21/ <sub>2</sub> No. 189—	$x = 4 \frac{41}{2}$	Foot Handles. Foot Handles.	Per dozen	\$35.40
No. 188—2½ No. 189— No. 190—	$\begin{array}{c} x & 4 \\ & 41/2 \\ & 5 \end{array}$	Foot Handles. Foot Handles. Foot Handles.	Per dozen Per dozen Per dozen	\$35.40 36.40 37.40
No. 188—21/ <sub>2</sub> No. 189— No. 190— No. 191—	$\begin{array}{c} x & 4 \\ & 41/2 \\ 5 \\ & 51/2 \end{array}$	Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen Per dozen Per dozen Per dozen	\$35.40 36.40 37.40 38.40
No. 188—21/2 No. 189— No. 190— No. 191— No. 192—23/4	$\begin{array}{c} x & 4 \\ & 41/2 \\ & 5 \\ & 51/2 \\ x & 41/2 \end{array}$	Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30
No. 188—21/2 No. 189— No. 190— No. 191— No. 192—23/4 No. 193—	$\begin{array}{c} x & 4 \\ & 41/2 \\ 5 \\ & 51/2 \\ x & 41/2 \\ 5 \end{array}$	Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30 42.30
No. 188—21/ <sub>2</sub> No. 189— No. 190— No. 191— No. 192—23/ <sub>4</sub> No. 193— No. 194—	$\begin{array}{c} x & 4 \\ & 41/2 \\ 5 \\ & 51/2 \\ x & 41/2 \\ 5 \\ & 51/2 \end{array}$	Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30 42.30 43.30
No. 188—21/ <sub>2</sub> No. 189— No. 190— No. 191— No. 192—2 <sup>3</sup> / <sub>4</sub> No. 193— No. 194— No. 195—	$\begin{array}{c} x \ 4 \\ 41/2 \\ 5 \\ 51/2 \\ x \ 41/2 \\ 5 \\ 51/2 \\ 6 \end{array}$	Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30 42.30 43.30
No. 188—21/ <sub>2</sub> No. 189— No. 190— No. 191— No. 192—2 <sup>3</sup> / <sub>4</sub> No. 193— No. 194— No. 195— No. 196—3	$\begin{array}{c} x \ 4 \\ 41/2 \\ 5 \\ 51/2 \\ x \ 41/2 \\ 5 \\ 51/2 \\ 6 \\ x \ 5 \end{array}$	Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30 42.30 43.30 44.30
No. 188—21/ <sub>2</sub> No. 189— No. 190— No. 191— No. 192—2 <sup>3</sup> / <sub>4</sub> No. 193— No. 194— No. 195—	$\begin{array}{c} x & 4 \\ & 41/2 \\ 5 \\ & 51/2 \\ x & 41/2 \\ 5 \\ & 51/2 \\ 6 \\ x & 5 \\ & 51/2 \end{array}$	Foot Handles.	Per dozen	\$35.40 36.40 37.40 38.40 41.30 42.30 43.30 44.30 46.50 47.50

ORDER BY NUMBER, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL.

#### **BABY CANT HOOKS**

With Forged Steel Clasps and Toe Rings



With select rock maple handles and "duck bill" hooks.

No. 941—2 in. x 2 Foot Handle	es. Per dozen\$17.75
No. 942—2 in. x $2\frac{1}{2}$ Foot Handle	s. Per dozen 18.15
No. 943—2 in. x 3 Foot Handle	s. Per dozen 18.55

#### MILL CARRIAGE CANT HOOKS

A very light tool, designed especially for use on Saw Carriages, and about mills. It is furnished with either Wrought Steel or Malleable Iron Clasp, improved long or short Toe Ring and Maple or Hickory Handles.






								ŀ	er	dozen
No.	950-21/4 x	3	Maple	Handles	and	Malleable	Iron	Clasps	.\$	19.45
No.	951—	31/2	Maple	Handles	and	Malleable	Iron	Clasps		19.90
No.	952—	4	Maple	Handles	and	Malleable	Iron	Clasps		20.15
No.	953-21/4 x	3	Hickory	Handles	and	Malleable	Iron	Clasps		22.20
No.	954—	31/2	Hickory	Handles	and	Malleable	Iron	Clasps		22.65
No.	955—	4	Hickory	Handles	and	Malleable	Iron	Clasps		22.90
No.	956-21/4  x	3	Maple	Handles	and	Wrought	Steel	Clasps		21.50
No.	957—	31/2	Maple	Handles	and	Wrought	Steel	Clasps		21.95
No.	958—	4	Maple	Handles	and	Wrought	Steel	Clasps		22.20
No.	959 - 21/4 x	3	Hickory	Handles	and	Wrought	Steel	Clasps		24.25
No.	960—	31/2	Hickory	Handles	and	Wrought	Steel	Clasps		24.65
No.	961—	4						Clasps		24.95

ORDER BY NUMBER AND SPECIFY STYLE OF TOE RING WANTED


# WROUGHT STEEL CLASP CANT HOOKS With Duck Bill, Round or Diamond Head Hooks Short Toe Ring



#### With select rock maple handles and "duck bill" hooks.

No. 481-21/4	x 3	Foot Handles.	Per dozen\$19.25
No. 482—	31/2	Foot Handles.	Per dozen
No. 483—	4	Foot Handles.	Per dozen 20.30
No. 484—	41/2	Foot Handles.	Per dozen
No. 485—	5	Foot Handles.	Per dozen 21.50
No. 486-21/2	$x \frac{31}{2}$	Foot Handles.	Per dozen
No. 487—	4	Foot Handles.	Per dozen
No. 266—	41/2	Foot Handles.	Per dozen
No. 267—	5	Foot Handles.	Per dozen
No. 268—	51/2	Foot Handles.	Per dozen
No. 269-23/4	x 41/2	Foot Handles.	Per dozen 24.40
No. 270—	5	Foot Handles.	Per dozen
No. 271—	51/2	Foot Handles.	Per dozen
No. 272—	6	Foot Handles.	Per dozen
No. 274—3	x 5	Foot Handles.	Per dozen 30.65
No. 275—	51/2	Foot Handles.	Per dozen
No. 276—	6	Foot Handles.	Per dozen

# WROUGHT STEEL CLASP CANT HOOKS With Duck Bill, Round or Diamond Head Hooks Short Toe Ring




With select hickory handles and "duck bill" hooks.

No. $665-21/4$ x	3	Foot Handles.	Per dozen \$24.90
No. 666—	31/2	Foot Handles.	Per dozen 25.25
No. 667—	4	Foot Handles.	Per dozen 26.00
No. 668—	41/2	Foot Handles.	Per dozen
No. 669—	5 .	Foot Handles.	Per dozen
No. $670-21/2$ x	31/2	Foot Handles.	Per dozen
No. 671—	4	Foot Handles.	Per dozen
No. 277—	41/2	Foot Handles.	Per dozen 27.10
No. 278—	5	Foot Handles.	Per dozen
No. 279—	51/2	Foot Handles.	Per dozen 28.50
No. 280-23/4 x	41/2	Foot Handles.	Per dozen 30.55
No. 281—	5	Foot Handles.	Per dozen
No. 282—	51/2	Foot Handles.	Per dozen
No. 283—	6	Foot Handles.	Per dozen 32.65
No. 285—3 x	5	Foot Handles.	Per dozen 38.20
No. 286—	51/2	Foot Handles.	Per dozen
No. 287—	6	Foot Handles.	Per dozen 39.60

Order by number, GIVING STYLE OF HOOK wanted, otherwise we will send duckbill, as shown in cut

# WROUGHT STEEL CLASP CANT HOOKS With Duck Bill, Round or Diamond Head Hooks Extension Toe Ring






With select rock maple handles and "duck bill" hooks.

No. $675 - 21/4 \times 3$	Foot Handles.	Per dozen\$19.25
No. 676— 31/	2 Foot Handles.	Per dozen 19.60
No. 677— 4	Foot Handles.	Per dozen 20.30
No. 678— 41/	2 Foot Handles.	Per dozen 20.90
No. 679— 5	Foot Handles.	Per dozen
No. $680-21/2 \times 31/2 \times$	Foot Handles.	Per dozen 19.90
	Foot Handles.	Per dozen 20.60
No. 288— 41/	2 Foot Handles.	Per dozen 21.25
	Foot Handles.	Per dozen 21.90
No. 290— 51/	2 Foot Handles.	Per dozen 22.55
No. 291—23/4 x 41/	Foot Handles.	Per dozen 24.40
No. 292— 5	Foot Handles.	Per dozen 25.00
No. 293— 51/	2 Foot Handles.	Per dozen
No. 294— 6	Foot Handles.	Per dozen 26.30
No. 296—3 x 5	Foot Handles.	Per dozen 30.65
No. 297— 51/	2 Foot Handles.	Per dozen 31.30
No. 298— 6	Foot Handles.	Per dozen 31.95

Order by number, GIVING STYLE OF HOOK wanted, otherwise we will send duckbill, as shown in cut

#### WROUGHT STEEL CLASP CANT HOOKS With Duck Bill, Round or Diamond Head Hooks **Extension Toe Ring**






DUCK BILL

DIAMOND BILL

#### With select hickory handles and "duck bill" hooks.

No. 682-21/4	x 3	Foot Handles.	Per dozen\$24.90
No. 683—	31/2	Foot Handles.	Per dozen
No. 684—	4	Foot Handles.	Per dozen 26.00
No. 685—	41/2	Foot Handles.	Per dozen 26.70
No. 686—	5	Foot Handles.	Per dozen 27.40
No. 687—21/2	$x \frac{31}{2}$	Foot Handles.	Per dozen 25.60
No. 688—	4	Foot Handles.	Per dozen 26.40
No. 299—	41/2	Foot Handles.	Per dozen 27.10
No. 300—	5	Foot Handles.	Per dozen 27.80
No. 301—	51/2	Foot Handles.	Per dozen 28.50
No. 302-23/4	x 41/2	Foot Handles.	Per dozen 30.55
No. 303—	5	Foot Handles.	Per dozen 31.25
No. 304—	51/2	Foot Handles.	Per dozen 31.95
No. 305—	6	Foot Handles.	Per dozen 32.65
No. 307—3	x 5	Foot Handles.	Per dozen 38.20
No. 308—	51/2	Foot Handles.	Per dozen
No. 309—	6	Foot Handles.	Per dozen


# MALLEABLE CLASP CANT HOOKS With Duck Bill, Round or Diamond Head Hooks Short Toe Ring



With select rock maple handles and "duck bill" hooks.

No. 439—21/4 x 3	Foot Handles.	Per dozen	\$17.50
No. 440— 31/2	Foot Handles.	Per dozen	17.80
No. 441— 4	Foot Handles.	Per dozen	18.40
No. 442— 41/2	Foot Handles.	Per dozen	19.00
No. 443— 5	Foot Handles.	Per dozen	19.65
No. $444 - \frac{21}{2} \times \frac{31}{2}$	Foot Handles.	Per dozen	18.00
No. 445— 4	Foot Handles.	Per dozen	18.75
No. 200— 41/2	Foot Handles.	Per dozen	19.40
No. 201— 5	Foot Handles.	Per dozen	20.00
No. 202— 51/2	Foot Handles.	Per dozen	20.65
No. 203— $2\frac{3}{4} \times 4\frac{1}{2}$	Foot Handles.	Per dozen	22.50
No. 204— 5	Foot Handles.	Per dozen	23.15
No. 205— 51/2	Foot Handles.	Per dozen	23.80
No. 206— 6	Foot Handles.	Per dozen	24.45
No. 208—3 x 5	Foot Handles.	Per dozen	28.85
No. 209— 51/2	Foot Handles.	Per dozen	29.50
No. 210— 6	Foot Handles.	Per dozen	30.15


With Duck Bill, Round or Diamond Head Hooks Short Toe Ring



With select hickory handles and "duck bill" hooks.

		100.10
No. $446-21/4 \times 3$	Foot Handles.	Per dozen \$22.40
No. 447— 31/2	Foot Handles.	Per dozen
No. 448— 4	Foot Handles.	Per dozen 23.60
No. 449— 41/2	Foot Handles.	Per dozen 24.40
No. 450— 5	Foot Handles.	Per dozen
No. $451 - \frac{21}{2} \times \frac{31}{2}$	Foot Handles.	Per dozen 23.40
No. 452— 4	Foot Handles.	Per dozen 24.00
No. 211— 41/2	Foot Handles.	Per dozen 24.80
No. 212— 5	Foot Handles.	Per dozen
No. 213— 51/2	Foot Handles.	Per dozen 26.40
No. $214-2\frac{3}{4} \times 4\frac{1}{2}$	Foot Handles.	Per dozen 28.60
No. 215— 5	Foot Handles.	Per dozen 29.30
No. 216— 5½	Foot Handles.	Per dozen 30.00
No. 217— 6	Foot Handles.	Per dozen 30.70
No. 219—3 x 5	Foot Handles.	Per dozen 36.20
No. 220— 5½	Foot Handles.	Per dozen
No. 221— 6	Foot Handles.	Per dozen 37.80

# With Duck Bill, Round or Diamond Head Hooks Extension Toe Ring




#### With select rock maple handles and "duck bill" hooks.

Foot Handles.	Per dozen
Foot Handles.	Per dozen 17.80
Foot Handles.	Per dozen 18.40
Foot Handles.	Per dozen 19.00
Foot Handles.	Per dozen 19.65
Foot Handles.	Per dozen 18.00
Foot Handles.	Per dozen 18.75
Foot Handles.	Per dozen 19.40
Foot Handles.	Per dozen 20.00
Foot Handles.	Per dozen 20.65
Foot Handles.	Per dozen 22.50
Foot Handles.	Per dozen 23.15
Foot Handles.	Per dozen
Foot Handles.	Per dozen 24.45
Foot Handles.	Per dozen 28.85
Foot Handles.	Per dozen 29.50
Foot Handles.	Per dozen 30.15
	Foot Handles.

Order by number, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL, AS SHOWN IN CUT

With Duck Bill, Round or Diamond Head Hooks Extension Toe Ring






With select hickory handles and "duck bill" hooks.

No. 460-21/4 x 3	Foot Handles.	Per dozen\$22.40
No. 461— 3	31/2 Foot Handles.	Per dozen
	4 Foot Handles.	Per dozen
No. 463—	41/2 Foot Handles.	Per dozen 24.40
No. 464— 5	5 Foot Handles.	Per dozen
No. $465 - \frac{21}{2} \times 3$	31/2 Foot Handles.	Per dozen
	4 Foot Handles.	Per dozen 24.00
	41/2 Foot Handles.	Per dozen 24.80
	Foot Handles.	Per dozen
	51/2 Foot Handles.	Per dozen
	41/2 Foot Handles.	Per dozen
	Foot Handles.	Per dozen 29.30
	51/2 Foot Handles.	Per dozen 30.00
	6 Foot Handles.	Per dozen 30.70
No. 241—3 x 5		Per dozen 36.20
	51/2 Foot Handles.	Per dozen 37.00
	6 Foot Handles.	Per dozen


#### With Duck Bill, Round or Diamond Head Hooks



Made with select rock maple handles and "duck bill" hooks.

No. 467—21/4 2	x 3	Foot Handles.	Per dozen\$17.50
No. 468—		Foot Handles.	Per dozen 17.80
No. 469—	4	Foot Handles.	Per dozen 18.40
No. 470—	41/2	Foot Handles.	Per dozen 19.00
No. 471—	5	Foot Handles.	Per dozen 19.65
No. 479—21/2 2	x 31/2	Foot Handles.	Per dozen 18.00
No. 480—	4	Foot Handles.	Per dozen 18.75
No. 255—	41/2	Foot Handles.	Per dozen 19.40
No. 256—	5	Foot Handles.	Per dozen 20.00
No. 257—	51/2	Foot Handles.	Per dozen 20.65
No. 258-23/4 x	41/2	Foot Handles.	Per dozen 22.50
No. 259—	5	Foot Handles.	Per dozen 23.15
No. 260—	51/2	Foot Handles.	Per dozen 23.80
No. 261—	6	Foot Handles.	Per dozen 24.45
No. 263—3	5	Foot Handles.	Per dozen 28.85
No. 264—	51/2	Foot Handles.	Per dozen
No. 265—	6	Foot Handles.	Per dozen 30.15

# MALLEABLE "CLIP" CANT HOOKS With Duck Bill, Round or Diamond Head Hooks





Made with select hickory handles and "duck bill" hooks.

No. 472-21/4	x 3	Foot Handles.	Per dozen\$22.40
No. 473—	31/2	Foot Handles.	Per dozen 23.00
No. 474—	4	Foot Handles.	Per dozen 23.60
No. 475—	41/2	Foot Handles.	Per dozen 24.40
No. 476—	5	Foot Handles.	Per dozen 25.20
No. 477—21/2	$x \frac{31}{2}$	Foot Handles.	Per dozen
No. 478—	4	Foot Handles.	Per dozen 24.00
No. 244—	41/2	Foot Handles.	Per dozen 24.80
No. 245—	5	Foot Handles.	Per dozen 25.60
No. 246—	51/2	Foot Handles.	Per dozen
No. 247—23/4	$x \frac{41}{2}$	Foot Handles.	Per dozen 28.60
No. 248—	5	Foot Handles.	Per dozen
No. 249—	51/2	Foot Handles.	Per dozen 30.00
No. 250—	6	Foot Handles.	Per dozen 30.70
No. 252—3	x 5	Foot Handles.	Per dozen 36.20
No. 253—	51/2	Foot Handles.	Per dozen
No. 254—	6	Foot Handles.	Per dozen 37.80

Order by number, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL, AS SHOWN IN CUT

#### MALLEABLE OPEN SOCKET CANT HOOKS With Duck Bill, Round or Diamond Head Hooks




This tool is made with Clasp and Toe Ring in one piece.

With select rock maple handles and "duck bill" hooks.

No. 720—2½ No. 721— No. 722—	4	Foot Handles. Foot Handles. Foot Handles.	Per dozen       \$18.00         Per dozen       18.75         Per dozen       19.40
No. 723—	_	Foot Handles.	Per dozen
No. 724—		Foot Handles.	Per dozen
No. 725—23/4	, -		Per dozen
No. 726—		Foot Handles.	Per dozen 23.15
No. 727—	51/2	Foot Handles.	Per dozen
No. 728—	6	Foot Handles.	Per dozen 24.45
With	select	hickory handles	and "duck bill" hooks.
No. 732—21/2			Per dozen\$23.40
	$x \frac{31}{2}$		Per dozen       \$23.40         Per dozen       24.00
No. 732—21/2	x 31/2	Foot Handles.	Per dozen \$23.40
No. 732—2½ No. 733—	$\begin{array}{c} x \ 31/2 \\ 4 \\ 41/2 \end{array}$	Foot Handles. Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60
No. 732—2½ No. 733— No. 734—	x 31/2 4 41/2 5	Foot Handles. Foot Handles. Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60         Per dozen       26.40
No. 732—2½ No. 733— No. 734— No. 735—	x 31/2 4 41/2 5 51/2	Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60         Per dozen       26.40         Per dozen       28.60
No. 732—2½ No. 733— No. 734— No. 735— No. 736—	x 31/2 4 41/2 5 51/2 x 41/2	Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60         Per dozen       26.40         Per dozen       28.60         Per dozen       29.30
No. 732—2½ No. 733— No. 734— No. 735— No. 736— No. 737—2¾	x 31/2 4 41/2 5 51/2 x 41/2 5	Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles. Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60         Per dozen       26.40         Per dozen       28.60         Per dozen       29.30         Per dozen       30.00
No. 732—2½ No. 733— No. 734— No. 735— No. 736— No. 737—2¾ No. 738—	x 31/2 4 41/2 5 51/2 x 41/2 5 51/2	Foot Handles.	Per dozen       \$23.40         Per dozen       24.00         Per dozen       24.80         Per dozen       25.60         Per dozen       26.40         Per dozen       28.60         Per dozen       29.30

# THE "READY" CANT HOOK Malleable Combined Clasp and Toe Ring



In offering this, Our New Cant Hook, made with combined clasp and toe ring, to the trade, we have endeavored to supply a good clasp that would fit any size handle, one that can be readily attached to any piece of timber when regular handles are not at hand.


With sele	et rock	maple	handles	and	"duck	bill'	hooks.
-----------	---------	-------	---------	-----	-------	-------	--------

No. 836— 5 No. 837— 51 No. 838—2 <sup>3</sup> / <sub>4</sub> x 41 No. 839— 5 No. 840— 51 No. 841— 6 No. 843—3 x 5	<ul> <li>Foot Handles.</li> </ul>	Per dozen       \$18.75         Per dozen       19.40         Per dozen       20.00         Per dozen       20.65         Per dozen       22.50         Per dozen       23.15         Per dozen       23.80         Per dozen       24.45         Per dozen       28.85         Per dozen       29.50

#### With select hickory handles and "duck bill" hooks.

***************************************			
No. 864—21/2 x 4	Foot Handles.	Per dozen	24.00
No. 865— 41/2	Foot Handles.	Per dozen	24.80
No. 866— 5	Foot Handles.	Per dozen	25.60
No. 867— 5½	Foot Handles.	Per dozen	26.40
No. $868 - 2\frac{3}{4} \times 4\frac{1}{2}$	Foot Handles.	Per dozen	28.60
No. 869— 5	Foot Handles.		29.30
No. 870— 5½	Foot Handles.	Per dozen	30.00
No. 871— 6	Foot Handles.	Per dozen	30.70
No. 873—3 x 5	Foot Handles.	Per dozen	36.20
No. 874— 5½	Foot Handles.	Per dozen	37.00
No. 875— 6	Foot Handles.	Per dozen	37.80

A Serviceable Tool at a Low Price




CHISEL BILL

#### With select rock maple handles, chisel point hooks.

N (00 21/	2	F . II II	D 1 616.90
No. 689—21/4	x 3	Foot Handles.	Per dozen
No. 690—	31/2	Foot Handles.	Per dozen 17.10
No. 691—	4	Foot Handles.	Per dozen 17.70
No. 692—	41/2	Foot Handles.	Per dozen 18.20
No. 693—	5	Foot Handles.	Per dozen 18.70
No. 694-21/2	$x \frac{31}{2}$	Foot Handles.	Per dozen 17.30
No. 695—	4	Foot Handles.	Per dozen 18.00
No. 318—	41/2	Foot Handles.	Per dozen 18.50
No. 319—	5	Foot Handles.	Per dozen 19.10
No. 320—	51/2	Foot Handles.	Per dozen 19.70
No. 321-23/4	x 41/2	Foot Handles.	Per dozen 21.75
No. 322—	5	Foot Handles.	Per dozen 22.35
No. 323—	51/2	Foot Handles.	Per dozen 23.00
No. 324—	6	Foot Handles.	Per dozen 23.60
No. 326—3	x 5	Foot Handles.	Per dozen 28.10
No. 327—	51/2	Foot Handles.	Per dozen 28.70
No. 328—	6	Foot Handles.	Per dozen 29.40

ORDER BY NUMBER


A Serviceable Tool at a Low Price



With select hickory handles, chisel point hooks.

No. 696—21/4 x 3	Foot Handles.	Per dozen \$22.00
	Foot Handles.	Per dozen
	Foot Handles.	Per dozen 23.00
	Foot Handles.	Per dozen
	Foot Handles.	Per dozen 24.30
No. 716-21/2 x 31/2	Foot Handles.	Per dozen 22.60
	Foot Handles.	Per dozen
	Foot Handles.	Per dozen
No. 330— 5	Foot Handles.	Per dozen 24.60
No. 331— 51/	Foot Handles.	Per dozen
No. $332-2\frac{3}{4} \times 4\frac{1}{2}$	Foot Handles.	Per dozen
	Foot Handles.	Per dozen
No. 334— 51/	Foot Handles.	Per dozen 29.20
No. 335— 6	Foot Handles.	Per dozen 29.90
No. 337—3 x 5	Foot Handles.	Per dozen 35.40
No. 338— 51/	Foot Handles.	Per dozen 36.10
No. 339— 6	Foot Handles.	Per dozen 36.80

#### TOP LOADERS' CANT HOOK



This tool is designed especially for "Top Loaders" work. The hook is made of TOOL steel. Clasp is made of mild steel, extra heavy, and toe ring is made of steel. Hook is either duckbill or diamond head and is very heavy and strong in the head and throat. Handle is made of extra selected hard maple or hickory.

Day dazan

#### Price List Maple Handles

				I EI UUZEII
No. $310-2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles.	Duckbill 1	Hooks	\$41.65
				Hooks 41.65

#### Price List Hickory Handles

			Per dozen
No. $312-2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles.	Duckbill Hooks	\$45.25
No. $313-2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles.	Diamond Head	Hooks 45.25

#### SPECIAL TOP LOADERS' CANT HOOK

This Cant Hook is very popular with expert Top Loaders in all parts of the county. It is fitted with extra heavy hand forged loaders' hook and is perfectly reliable in construction throughout.



#### Extra Selected Maple Handles

No 062 21/ - 41/	Foot Handles and Malleable Clasps\$32.50	
No. $963 - 2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles and Forged Steel Clasps 35.00	

#### Select Hickory Handles

		Per dozen
No. $964 - 2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles and Malleable Clasps	\$36.00
No. $965 - 2\frac{1}{2} \times 4\frac{1}{2}$	Foot Handles and Forged Steel Clasps	38.50

ORDER BY NUMBER, GIVING STYLE OF HOOK WANTED, OTHERWISE WE WILL SEND DUCKBILL, AS SHOWN IN CUT

Per dozen

# TIMBER CARRIERS OR LUG HOOKS

For handling ties, telegraph poles, timbers, etc. Will grapple anything from 3 to 16 inches and is fitted with swivel to permit carrying timber through narrow passageways.



		dozen
No. 425—With 21/2 in. x 4	Foot Maple Handles and Duckbill Hooks.\$	26.71
No. 426—With 41/2	Foot Maple Handles and Duckbill Hooks.	27.37
No. 427—With 5	Foot Maple Handles and Duckbill Hooks.	28.00
No. 488—With 3 in. x 5	Foot Maple Handles and Duckbill Hooks.	38.15
No. 389—With 6	Foot Maple Handles and Duckbill Hooks.	41.00
No. 762—With 2½ in. x 4		29.75
No. 763—With 4½	Foot Hickory Handles and Duckbill Hooks	30.50
		31.20



	Per dozen
No. 428—With 21/2 in.x4 Foot Map	le Handles and Chisel Point Hooks \$25.00
No. 429—With 41/2 Foot Map	le Handles and Chisel Point Hooks 25.55
No. 430—With 5 Foot Map	le Handles and Chisel Point Hooks 26.16
No. 490—With 3 in.x5 Foot Map	le Handles and Chisel Point Hooks 35.80
No. 491—With 6 Foot Map	le Handles and Chisel Point Hooks 38.70
No. 765—With 21/2 in.x4 Foot Hick	ory Handles and Chisel Point H'ks 28.00
No. 767—With 41/2 Foot Hick	cory Handles and Chisel Point H'ks 28.70
No. 768—With 5 Foot Hick	cory Handles and Chisel Point H'ks 29.35

#### PIKE POLES

Handles are made from selected second growth Ohio White Ash.

Ferrules are seamless steel and pikes are hand-hammered crucible steel, the "pikes and hooks" are forged from solid steel (one piece) and not welded, shanks of "pike" and "pike and hook" are heavily threaded and firmly screwed into the poles.



#### With Curved Pike and Hook

Length of	Length of
Pole Per dozen	Pole Per dozen
No. 350— 4½ Foot\$17.50	No. 402—14 Foot\$28.50
No. 351— 6 Foot 18.50	No. 403—16 Foot 35.00
No. 352— 8 Foot 20.00	No. 404—18 Foot 45.00
No. 400—10 Foot 21.00	No. 405—20 Foot 60.00
No. 401—12 Foot 23.75	



# With Straight Pike and Hook

	gth of		Length of	
		Per dozen	Pole	Per dozen
No. 353— 6			No. 408—14 Foot	\$28.50
No. 354— 8	Foot	20.00	No. 409—16 Foot	35.00
		21.00	No. 410—18 Foot	45.00
No. 407—12	Foot	23.75	No. 411—20 Foot	60.00



#### With Pike Only

	gth of	Length of	
No. 355— 6 No. 356— 8 No. 412—10	Per dozen Foot	Pole No. 414—14 Foot No. 415—16 Foot No. 416—18 Foot	32.00
110. 115 -12	1 001 20.75	No. 417—20 Foot	57.00


# BOAT OR SETTING POLES, COMPLETE

Select Second-growth Ash

No. 653—Setting Poles with Pike at each end, 12 Foot\$31.50 No. 654—Setting Poles with Pike at each end, 14 Foot 37.00 No. 655—Setting Poles with Pike at each end, 16 Foot 45.00
No. 656—Setting Poles with Pike and square end, 12 Foot\$31.50 No. 657—Setting Poles with Pike and square end, 14 Foot 37.00 No. 658—Setting Poles with Pike and square end, 16 Foot 45.00
Half-Breed Pike Poles, Complete
These are Extra Heavy Pike Poles for heavy work. Fitted with best screw pike, wrought iron rings, select Ash Poles, 2 in. diameter.
No. 800—10 Foot Half-Breed Poles, complete. Per dozen\$27.50 No. 801—12 Foot Half-Breed Poles, complete. Per dozen 30.00 No. 802—14 Foot Half-Breed Poles, complete. Per dozen 34.70 No. 803—16 Foot Half-Breed Poles, complete. Per dozen 40.00 With pike and hook \$3.00 per dozen advance in list price.  Bark Spud
Per dozen No. 638—Complete, with Hard Maple Handles, 12 to 15 inches \$18.50 No. 639—Without Handles
No. 810—Hand Spike, 3 in. x 6 ft. Handle. Per dozen\$30.00 No. 811—Hand Spike, 3 in. x 6½ ft. Handle. Per dozen 31.50 No. 812—Hand Spike, 3 in. x 7 ft. Handle. Per dozen 33.00

#### **PICKAROONS**

For Handling Railroad Ties, Pulp Wood or Mill Refuse



### Axe Handle Hookaroons with Steel Point Pick



No. 421—Made with Light Single pick, Solid eye. Per dozen. \$13.00 No. 422—Made with Heavy Single pick, Solid eye. Per dozen 16.45



No. 423—Double Pick, Solid eye. Per dozen..........\$18.60

SQUARE









ROLLW	AY
BREAKING	HOOK

Per d	ozen
No. 559—Made of 3/4 in. Square Steel, heavy round points\$1.	5.00
No. 560—Made of $\frac{3}{4}$ in. Octagon Steel, heavy round points	5.00
No. 561—Made of 1 x ½ in. Flat Steel, Chisel Point	2.85
No. 549—Made of $1 \times \frac{1}{2}$ in. Steel, Round Points and no Rings 12	2.50
No. 562—Railway Breaking Hook made from $1\frac{1}{2} \times \frac{5}{8}$ in. Flat Steel, with	
heavy upset point	0.00

#### **SWAMP HOOKS**

### With Heavy Upset Points, Grab Hooks and Rings of Mild Steel










#### **SKIDDING TONGS**

Made of Special Tong Steel with Heavy Upset Points




With Plain Swivel Ring and Round Hook	Per dozen
No. 499— 7/8 in. Octagon Steel, to open 21 inches	\$63.15
No. 500—1 in. Octagon Steel, to open 24 inches	71.05
No. 501—11/8 in. Octagon Steel, to open 32 inches	78.95
No. 502—11/4 in. Octagon Steel, to open 36 inches	94.74
No. $503-1\frac{1}{2} \times \frac{5}{8}$ in. Flat Steel, to open 32 inches	78.95
We furnish the above tongs with grab hook when so specified.	



# With Blind Swivel and Grab Hook, Flattened where Riveted

											er dozen	
No. 504—1	in.	Octagon	Steel,	to	open	24	inches.	 	 	 	\$78.35	,
No. 505-11/8	in.	Octagon	Steel,	to	open	32	inches.	 	 	 	86.00	)
No. 506-11/4	in.	Octagon	Steel,	to	open	36	inches.	 	 	 	102.00	)
No. 507-11/2												



With Rings Only—No Swivel Hook	
No. 548— 7/8 in. Octagon Steel, to open 21 inches	\$59.20
No. 508—1 in. Octagon Steel, to open 24 inches	67.11
No. 509—11/8 in. Octagon Steel, to open 32 inches	75.00
No. 510—11/4 in. Octagon Steel, to open 36 inches	90.80
No. 511—1½ x 5/8 in. Flat Steel, to open 32 inches	75.00

ORDER BY NUMBER AND GIVE STYLE OF SWIVEL HOOK WANTED



#### **GRAPPLE HOOKS**

Made of High Grade Tong Steel
With Heavy Upset Points

V	
No. 362— 3/4 in. Octagon Steel.	Per dozen\$38.00
No. 363— 7/8 in. Octagon Steel.	Per dozen 40.65
No. 544—1 in. Octagon Steel.	Per dozen
	Per dozen 48.70
	Per dozen 56.60

#### STUMP TONG




No. 744—11/4 in.	Octagon Stee	l, to open	24 in.	Per pair \$	6.00
No. $745 - 1\frac{1}{2}$ in.	Octagon Stee	l, to open	24 in.	Per pair	10.60
No. $746 - 1\frac{1}{2}$ in.				Per pair	11.40
No. $747 - 13\frac{7}{4}$ in.				Per pair	16.20
No. 748—13/4 in.				Per pair	17.00
No. 749—13/4 in.	Octagon Stee	l, to open	36 in.	Per pair	18.70
	Ve will furnish				

#### GIANT SKIDDING TONGS

Our Giant Tongs are made of special Tong Steel, upset to give maximum strength at points where the strain is greatest.

We will furnish Tongs with swivel hook when so specified with an additional charge for *hook*.

Giant Tongs are not returnable and cannot be exchanged as they are always made special and only to order.



	Per pair
No. 785—11/2 in. Octagon Steel, to open 16 in., weight 39 lbs	\$11.60
No. 786—1½ in. Octagon Steel, to open 18 in., weight 40 lbs	11.70
No. 787—1½ in. Octagon Steel, to open 20 in., weight 41 lbs	11.85
No. 788—11/2 in. Octagon Steel, to open 24 in., weight 43 lbs	12.10
No. 789—1½ in. Octagon Steel, to open 26 in., weight 44 lbs	
No. 790—1½ in. Octagon Steel, to open 28 in., weight 44 lbs	
No. 791—1½ in. Octagon Steel, to open 30 in., weight 45 lbs	
No. 512—11/2 in. Octagon Steel, to open 32 in., weight 45 lbs	12.50
No. $513-1\frac{1}{2}$ in. Octagon Steel, to open 36 in., weight 48 lbs	
No. $514-1\frac{1}{2}$ in. Octagon Steel, to open 42 in., weight 51 lbs	
No. 515—11/2 in. Octagon Steel, to open 48 in., weight 54 lbs	15.00
No. 792—15/8 in. Octagon Steel, to open 16 in., weight 44 lbs	13.80
No. 793—15/8 in. Octagon Steel, to open 18 in., weight 45 lbs	
No. 794—15/8 in. Octagon Steel, to open 20 in., weight 47 lbs	
No. 795—15/8 in. Octagon Steel, to open 24 in., weight 50 lbs	
No. 796—15/8 in. Octagon Steel, to open 26 in., weight 51 lbs	
No. 797—15/8 in. Octagon Steel, to open 28 in., weight 52 lbs	
No. 798—15/8 in. Octagon Steel, to open 30 in., weight 54 lbs	
No. 799—15/8 in. Octagon Steel, to open 32 in., weight 55 lbs	
No. 518—15/8 in. Octagon Steel, to open 36 in., weight 57 lbs	
No. 519—15/8 in. Octagon Steel, to open 42 in., weight 60 lbs	
No. 520-15/8 in. Octagon Steel, to open 48 in., weight 65 lbs	
No. 521—15/8 in. Octagon Steel, to open 54 in., weight 70 lbs	20.00

No. 804—134 in. Octagon Steel, to open 16 in., weight 55 lbs. \$16.35 No. 805—134 in. Octagon Steel, to open 20 in., weight No. 807—134 in. Octagon Steel, to open 24 in., weight No. 808—134 in. Octagon Steel, to open 24 in., weight No. 808—134 in. Octagon Steel, to open 28 in., weight No. 808—134 in. Octagon Steel, to open 28 in., weight No. 813—134 in. Octagon Steel, to open 30 in., weight No. 523—134 in. Octagon Steel, to open 30 in., weight No. 523—134 in. Octagon Steel, to open 36 in., weight No. 524—134 in. Octagon Steel, to open 42 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 527—134 in. Octagon Steel, to open 44 in., weight No. 527—134 in. Octagon Steel, to open 64 in., weight No. 528—134 in. Octagon Steel, to open 64 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 530—134 in. Octagon Steel, to open 66 in., weight No. 815—176 in. Octagon Steel, to open 18 in., weight No. 816—176 in. Octagon Steel, to open 18 in., weight No. 816—176 in. Octagon Steel, to open 20 in., weight No. 816—176 in. Octagon Steel, to open 20 in., weight No. 816—176 in. Octagon Steel, to open 20 in., weight No. 816—176 in. Octagon Steel, to open 26 in., weight No. 817—176 in. Octagon Steel, to open 26 in., weight No. 819—176 in. Octagon Steel, to open 26 in., weight No. 819—176 in. Octagon Steel, to open 27 in., weight No. 819—176 in. Octagon Steel, to open 30 in., weight No. 820—176 in. Octagon Steel, to open 30 in., weight No. 831—176 in. Octagon Steel, to open 30 in., weight No. 831—176 in. Octagon Steel, to open 30 in., weight No. 831—176 in. Octagon Steel, to open 30 in., weight No. 831—176 in. Octagon Steel, to open 30 in., weight No. 831—176 in. Octagon Steel, to open 42 in., weight No. 831—83 in. No. 830—2 in. Octagon Steel, to open 42 in., weight No. 831—83 in. No. 8	GIANT SKIDDING TONGS	
No. 805—1¾ in. Octagon Steel, to open 18 in., weight 59 lbs. 16.85 No. 806—1¾ in. Octagon Steel, to open 20 in., weight 62 lbs. 17.75 No. 808—1¾ in. Octagon Steel, to open 24 in., weight 63 lbs. 17.75 No. 808—1¾ in. Octagon Steel, to open 26 in., weight 64 lbs. 18.00 No. 813—1¾ in. Octagon Steel, to open 28 in., weight 64 lbs. 18.00 No. 813—1¾ in. Octagon Steel, to open 30 in., weight 66 lbs. 18.25 No. 523—1¾ in. Octagon Steel, to open 30 in., weight 70 lbs. 20.00 No. 523—1¾ in. Octagon Steel, to open 30 in., weight 70 lbs. 20.00 No. 524—1¾ in. Octagon Steel, to open 42 in., weight 70 lbs. 20.00 No. 524—1¾ in. Octagon Steel, to open 42 in., weight 70 lbs. 21.25 No. 526—1¾ in. Octagon Steel, to open 42 in., weight 71 lbs. 22.50 No. 526—1¾ in. Octagon Steel, to open 64 in., weight 85 lbs. 23.75 No. 528—1¾ in. Octagon Steel, to open 60 in., weight 91 lbs. 22.50 No. 520—1¾ in. Octagon Steel, to open 60 in., weight 91 lbs. 25.50 No. 530—1¾ in. Octagon Steel, to open 60 in., weight 91 lbs. 25.50 No. 530—1¾ in. Octagon Steel, to open 61 in., weight 91 lbs. 27.50 No. 530—1¾ in. Octagon Steel, to open 16 in., weight 91 lbs. 27.50 No. 816—1½ in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—1¾ in. Octagon Steel, to open 16 in., weight 59 lbs. 19.10 No. 816—1½ in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 816—1½ in. Octagon Steel, to open 24 in., weight 59 lbs. 19.10 No. 816—1½ in. Octagon Steel, to open 24 in., weight 61 lbs. 19.35 No. 817—1½ in. Octagon Steel, to open 26 in., weight 71 lbs. 20.20 No. 819—1½ in. Octagon Steel, to open 28 in., weight 67 lbs. 20.25 No. 819—1½ in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 820—1½ in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 821—2 in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 831—2 in. Octagon Steel, to open 30 in., weight 71 lbs. 22.00 No. 832—2 in. Octagon Steel, to open 48 in., weight 81 lbs. 23.40 No. 535—1½ in. Octagon Steel, to open 48 in., weight 81 lbs. 23.40 No. 832—2 in. Octagon Steel, to open 66	N. 804 13/ in Octagon Steel to open 16 in., weight 55 lbs	\$16.35
No. 806—1¾ in. Octagon Steel, to open 20 in., weight 59 lbs. 17.50 No. 808—1¾ in. Octagon Steel, to open 26 in., weight 62 lbs. 17.50 No. 808—1¾ in. Octagon Steel, to open 26 in., weight 64 lbs. 18.00 No. 819—1¾ in. Octagon Steel, to open 28 in., weight 64 lbs. 18.00 No. 813—1¾ in. Octagon Steel, to open 32 in., weight 66 lbs. 18.25 No. 523—1¾ in. Octagon Steel, to open 32 in., weight 70 lbs. 20.00 No. 524—1¾ in. Octagon Steel, to open 36 in., weight 77 lbs. 20.00 No. 525—1¾ in. Octagon Steel, to open 42 in., weight 75 lbs. 21.25 No. 526—1¾ in. Octagon Steel, to open 48 in., weight 80 lbs. 22.50 No. 527—1¾ in. Octagon Steel, to open 46 in., weight 91 lbs. 25.50 No. 529—1¾ in. Octagon Steel, to open 66 in., weight 91 lbs. 25.50 No. 529—1¾ in. Octagon Steel, to open 66 in., weight 91 lbs. 25.50 No. 530—1¾ in. Octagon Steel, to open 66 in., weight 91 lbs. 32.00 No. 814—17% in. Octagon Steel, to open 18 in., weight 57 lbs. 18.80 No. 815—17% in. Octagon Steel, to open 18 in., weight 57 lbs. 18.80 No. 816—17% in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 814—17% in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 816—17% in. Octagon Steel, to open 20 in., weight 67 lbs. 19.30 No. 817—17% in. Octagon Steel, to open 20 in., weight 67 lbs. 19.30 No. 817—17% in. Octagon Steel, to open 20 in., weight 67 lbs. 19.30 No. 819—17% in. Octagon Steel, to open 20 in., weight 67 lbs. 20.25 No. 820—17% in. Octagon Steel, to open 26 in., weight 69 lbs. 20.50 No. 821—17% in. Octagon Steel, to open 26 in., weight 71 lbs. 20.90 No. 824—17% in. Octagon Steel, to open 26 in., weight 71 lbs. 20.90 No. 825—17% in. Octagon Steel, to open 26 in., weight 71 lbs. 20.90 No. 826—2 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 827—17% in. Octagon Steel, to open 42 in., weight 79 lbs. 22.50 No. 829—2 in. Octagon Steel, to open 30 in., weight 79 lbs. 23.75 No. 534—17% in. Octagon Steel, to open 42 in., weight 79 lbs. 23.75 No. 534—17% in. Octagon Steel, to open 60 in., weight 79 lbs. 23.75 No. 828—2 in. Octagon S		16.60
No. 807—1 ¾ in. Octagon Steel, to open 24 in., weight 62 lbs. 17.50 No. 808—1 ¾ in. Octagon Steel, to open 26 in., weight 63 lbs. 17.75 No. 808—1 ¾ in. Octagon Steel, to open 28 in., weight 64 lbs. 18.00 No. 813—1 ¾ in. Octagon Steel, to open 30 in., weight 67 lbs. 18.75 No. 523—1 ¾ in. Octagon Steel, to open 36 in., weight 70 lbs. 20.00 No. 525—1 ¾ in. Octagon Steel, to open 42 in., weight 77 lbs. 20.00 No. 526—1 ¾ in. Octagon Steel, to open 42 in., weight 75 lbs. 21.25 No. 526—1 ¾ in. Octagon Steel, to open 42 in., weight 75 lbs. 22.50 No. 526—1 ¾ in. Octagon Steel, to open 60 in., weight 85 lbs. 23.75 No. 528—1 ¾ in. Octagon Steel, to open 60 in., weight 91 lbs. 22.50 No. 529—1 ¾ in. Octagon Steel, to open 60 in., weight 91 lbs. 25.50 No. 529—1 ¾ in. Octagon Steel, to open 60 in., weight 98 lbs. 27.50 No. 530—1 ¾ in. Octagon Steel, to open 16 in., weight 98 lbs. 27.50 No. 530—1 ¾ in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 814—1 ¼ in. Octagon Steel, to open 16 in., weight 59 lbs. 19.10 No. 816—1 ¼ in. Octagon Steel, to open 16 in., weight 59 lbs. 19.10 No. 816—1 ¼ in. Octagon Steel, to open 20 in., weight 61 lbs. 19.35 No. 817—1 ¼ in. Octagon Steel, to open 24 in., weight 61 lbs. 19.35 No. 818—1 ¼ in. Octagon Steel, to open 24 in., weight 61 lbs. 19.35 No. 819—1 ¼ in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 820—1 ¼ in. Octagon Steel, to open 28 in., weight 67 lbs. 20.25 No. 821—1 ¼ in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 821—1 ¼ in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 533—1 ¼ in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 533—1 ¼ in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 533—1 ¼ in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 536—1 ¼ in. Octagon Steel, to open 48 in., weight 71 lbs. 22.00 No. 536—1 ¼ in. Octagon Steel, to open 48 in., weight 71 lbs. 23.40 No. 537—1 ¼ in. Octagon Steel, to open 66 in., weight 71 lbs. 23.40 No. 536—2 in. Octagon Steel, to open 66 in., weight 79 lbs. 24.50 No. 829—		16.85
No. 809—134 in. Octagon Steel, to open 26 in., weight No. 809—134 in. Octagon Steel, to open 28 in., weight No. 813—134 in. Octagon Steel, to open 30 in., weight No. 524—134 in. Octagon Steel, to open 32 in., weight No. 524—134 in. Octagon Steel, to open 32 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 526—134 in. Octagon Steel, to open 44 in., weight No. 527—134 in. Octagon Steel, to open 48 in., weight No. 528—134 in. Octagon Steel, to open 66 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 520—134 in. Octagon Steel, to open 66 in., weight No. 530—134 in. Octagon Steel, to open 18 in., weight No. 814—174 in. Octagon Steel, to open 16 in., weight No. 815—174 in. Octagon Steel, to open 16 in., weight No. 816—174 in. Octagon Steel, to open 20 in., weight No. 817—174 in. Octagon Steel, to open 26 in., weight No. 817—174 in. Octagon Steel, to open 26 in., weight No. 820—174 in. Octagon Steel, to open 26 in., weight No. 531—174 in. Octagon Steel, to open 32 in., weight No. 533—174 in. Octagon Steel, to open 32 in., weight No. 534—174 in. Octagon Steel, to open 32 in., weight No. 533—174 in. Octagon Steel, to open 32 in., weight No. 533—174 in. Octagon Steel, to open 32 in., weight No. 534—174 in. Octagon Steel, to open 32 in., weight No. 535—174 in. Octagon Steel, to open 32 in., weight No. 536—174 in. Octagon Steel, to open 48 in., weight No. 537—174 in. Octagon Steel, to open 48 in., weight No. 538—2 in. Octagon Steel, to open 60 in., weight No. 538—2 in. Octagon Steel, to open 60 in., weight No. 538—2 in. Octagon Steel, to open 60 in., weight No. 536—174 in. Octagon Steel, to open 60 in., weight No. 537—174 in. Octagon Steel, to open 60 in., weight No. 538—2 in. Octagon Steel, to open 60 in., weight No. 829—2 in. Octagon Steel, to open 60 in., weight No.		
No. 809—134 in. Octagon Steel, to open 28 in., weight No. 813—134 in. Octagon Steel, to open 30 in., weight No. 523—134 in. Octagon Steel, to open 30 in., weight No. 523—134 in. Octagon Steel, to open 36 in., weight No. 524—134 in. Octagon Steel, to open 36 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 526—134 in. Octagon Steel, to open 44 in., weight No. 527—134 in. Octagon Steel, to open 44 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 530—134 in. Octagon Steel, to open 66 in., weight No. 510—134 in. Octagon Steel, to open 66 in., weight No. 814—176 in. Octagon Steel, to open 16 in., weight No. 815—176 in. Octagon Steel, to open 18 in., weight No. 816—176 in. Octagon Steel, to open 20 in., weight No. 817—179 in. Octagon Steel, to open 20 in., weight No. 818—179 in. Octagon Steel, to open 24 in., weight No. 820—174 in. Octagon Steel, to open 28 in., weight No. 821—176 in. Octagon Steel, to open 28 in., weight No. 531—176 in. Octagon Steel, to open 28 in., weight No. 531—176 in. Octagon Steel, to open 36 in., weight No. 533—178 in. Octagon Steel, to open 36 in., weight No. 534—178 in. Octagon Steel, to open 36 in., weight No. 535—179 in. Octagon Steel, to open 42 in., weight No. 536—179 in. Octagon Steel, to open 42 in., weight No. 537—178 in. Octagon Steel, to open 42 in., weight No. 538—22—1 in. Octagon Steel, to open 42 in., weight No. 537—178 in. Octagon Steel, to open 60 in., weight No. 538—24 in. Octagon Steel, to open 61 in., weight No. 538—25 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 537—179 in. Octagon Steel, to open 60 in., weight No. 538—22 in. Octagon Steel, to open 60 in., weight No. 539—179 in. Octagon Steel, to open 60 in., weight No. 530—179 in. Octagon Steel, to open 60 in., weight No. 530—179 in. Octagon Steel, to open 60 in., weight No. 530—179 in. Octagon Steel, to open 60 in., wei		
No. 813—134 in. Octagon Steel, to open 30 in., weight No. 523—134 in. Octagon Steel, to open 36 in., weight No. 524—134 in. Octagon Steel, to open 42 in., weight No. 525—134 in. Octagon Steel, to open 42 in., weight No. 526—134 in. Octagon Steel, to open 42 in., weight No. 526—134 in. Octagon Steel, to open 42 in., weight No. 526—134 in. Octagon Steel, to open 60 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 529—134 in. Octagon Steel, to open 60 in., weight No. 530—134 in. Octagon Steel, to open 60 in., weight No. 513—136 in. Octagon Steel, to open 16 in. weight No. 816—136 in. Octagon Steel, to open 16 in., weight No. 816—136 in. Octagon Steel, to open 20 in., weight No. 817—138 in. Octagon Steel, to open 20 in., weight No. 818—136 in. Octagon Steel, to open 20 in., weight No. 820—136 in. Octagon Steel, to open 20 in., weight No. 531—136 in. Octagon Steel, to open 20 in., weight No. 531—136 in. Octagon Steel, to open 30 in., weight No. 533—136 in. Octagon Steel, to open 30 in., weight No. 533—136 in. Octagon Steel, to open 42 in., weight No. 533—1376 in. Octagon Steel, to open 42 in., weight No. 533—138 in. Octagon Steel, to open 42 in., weight No. 534—138 in. Octagon Steel, to open 42 in., weight No. 535—136 in. Octagon Steel, to open 42 in., weight No. 536—1376 in. Octagon Steel, to open 42 in., weight No. 537—1376 in. Octagon Steel, to open 42 in., weight No. 538—1376 in. Octagon Steel, to open 42 in., weight No. 536—1376 in. Octagon Steel, to open 42 in., weight No. 537—138 in. Octagon Steel, to open 42 in., weight No. 538—22 in. Octagon Steel, to open 60 in., weight No. 829—2 in. Octagon Steel, to open 60 in., weight No. 829—2 in. Octagon Steel, to open 60 in., weight No. 829—2 in. Octagon Steel, to open 16 in., weight No. 830—2 in. Octagon Steel, to open 24 in., weight No. 830—2 in. Octagon Steel, to open 42 in., weight No. 830—2 in. Octagon Steel, to open 42 in., weight No. 830—2 in. Octagon Steel, to open 42 in., weight No. 830—2 in. Octagon Steel, to open 60 in., weight No. 830		1000
No. 513—134 in. Octagon Steel, to open 32 in., weight No. 524—134 in. Octagon Steel, to open 36 in., weight No. 524—134 in. Octagon Steel, to open 42 in., weight No. 525—134 in. Octagon Steel, to open 48 in., weight No. 526—134 in. Octagon Steel, to open 48 in., weight No. 526—134 in. Octagon Steel, to open 60 in., weight No. 527—134 in. Octagon Steel, to open 60 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 529—134 in. Octagon Steel, to open 60 in., weight No. 530—134 in. Octagon Steel, to open 16 in., weight No. 530—134 in. Octagon Steel, to open 18 in., weight No. 814—176 in. Octagon Steel, to open 18 in., weight No. 815—176 in. Octagon Steel, to open 20 in., weight No. 816—176 in. Octagon Steel, to open 24 in., weight No. 819—176 in. Octagon Steel, to open 24 in., weight No. 820—178 in. Octagon Steel, to open 28 in., weight No. 531—178 in. Octagon Steel, to open 30 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 20 in., weight No. 531—179 in. Octagon Steel, to open 30 in., weight No. 531—179 in. Octagon Steel, to open 30 in., weight No. 531—179 in. Octagon Steel, to open 30 in., weight No. 531—179 in. Octagon Steel, to open 30 in., weight No. 533—179 in. Octagon Steel, to open 42 in., weight No. 534—179 in. Octagon Steel, to open 42 in., weight No. 535—179 in. Octagon Steel, to open 42 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., weight No. 536—179 in. Octagon Steel, to open 60 in., w	No. 809—13/4 in. Octagon Steel, to open 20 in., weight 66 lbs	
No. 524—134 in. Octagon Steel, to open 36 in., weight 75 lbs. 20.00 No. 525—134 in. Octagon Steel, to open 42 in., weight 87 lbs. 22.50 No. 526—134 in. Octagon Steel, to open 48 in., weight 88 lbs. 22.50 No. 526—134 in. Octagon Steel, to open 60 in., weight 87 lbs. 23.75 No. 528—134 in. Octagon Steel, to open 60 in., weight 98 lbs. 27.50 No. 529—134 in. Octagon Steel, to open 66 in., weight 104 lbs. 32.00 No. 530—134 in. Octagon Steel, to open 72 in., weight 104 lbs. 32.00 No. 516—136 in. Octagon Steel, to open 16 in., weight 104 lbs. 32.00 No. 815—136 in. Octagon Steel, to open 18 in., weight 57 lbs. 18.80 No. 815—136 in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 816—136 in. Octagon Steel, to open 20 in., weight 61 lbs. 19.35 No. 817—136 in. Octagon Steel, to open 24 in., weight 67 lbs. 20.25 No. 819—136 in. Octagon Steel, to open 26 in., weight 69 lbs. 20.50 No. 820—136 in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 821—136 in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 531—136 in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 532—136 in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 533—136 in. Octagon Steel, to open 42 in., weight 71 lbs. 22.00 No. 533—136 in. Octagon Steel, to open 42 in., weight 80 lbs. 23.75 No. 533—136 in. Octagon Steel, to open 48 in., weight 80 lbs. 25.80 No. 534—136 in. Octagon Steel, to open 48 in., weight 80 lbs. 25.80 No. 535—136 in. Octagon Steel, to open 48 in., weight 101 lbs. 30.50 No. 536—136 in. Octagon Steel, to open 48 in., weight 101 lbs. 30.50 No. 536—136 in. Octagon Steel, to open 66 in., weight 108 lbs. 23.75 No. 538—24 in. Octagon Steel, to open 66 in., weight 71 lbs. 23.40 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 in. Octagon Steel, to open 26 in., weight 71 lbs. 23.60 No. 829—2 in. Octagon Steel, to open 36 in., weight 71 lbs. 23.60 No. 830—2 in. Octagon Steel, to open 36 in., weight	No of 1 — 1 3/4 III. Octagon Sieci, to open so mi, magni	10 ==
No. 525—134 in. Octagon Steel, to open 42 in., weight 75 lbs. 21.25 No. 526—134 in. Octagon Steel, to open 48 in., weight 80 lbs. 22.50 No. 527—134 in. Octagon Steel, to open 60 in., weight 91 lbs. 25.50 No. 528—134 in. Octagon Steel, to open 66 in., weight 91 lbs. 27.50 No. 529—134 in. Octagon Steel, to open 66 in., weight 91 lbs. 27.50 No. 530—134 in. Octagon Steel, to open 72 in., weight 104 lbs. 32.00 No. 814—176 in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—176 in. Octagon Steel, to open 16 in., weight 59 lbs. 19.10 No. 816—176 in. Octagon Steel, to open 20 in., weight 61 lbs. 19.35 No. 817—176 in. Octagon Steel, to open 24 in., weight 65 lbs. 19.90 No. 820—176 in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 821—176 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 531—176 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 531—176 in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 531—176 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 533—176 in. Octagon Steel, to open 42 in., weight 77 lbs. 22.00 No. 533—176 in. Octagon Steel, to open 42 in., weight 77 lbs. 22.00 No. 535—176 in. Octagon Steel, to open 48 in., weight 77 lbs. 22.00 No. 535—176 in. Octagon Steel, to open 48 in., weight 80 lbs. 23.75 No. 537—176 in. Octagon Steel, to open 46 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 66 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 66 in., weight 114 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 66 in., weight 114 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 16 in., weight 114 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 66 in., weight 71 lbs. 23.40 No. 829—2 in. Octagon Steel, to open 16 in., weight 114 lbs. 33.00 No. 536—2 in. Octagon Steel, to open 66 in., weight 114 lbs. 33.00 No. 536—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 24.80 No. 830—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 24.80 No. 8	No. 523—134 in. Octagon Steel, to open 32 in., weight 70 lbs	20.00
No. 526—134 in. Octagon Steel, to open 48 in., weight No. 527—134 in. Octagon Steel, to open 54 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 528—134 in. Octagon Steel, to open 60 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 529—134 in. Octagon Steel, to open 66 in., weight No. 530—134 in. Octagon Steel, to open 16 in., weight No. 530—134 in. Octagon Steel, to open 16 in., weight No. 814—176 in. Octagon Steel, to open 16 in., weight No. 815—178 in. Octagon Steel, to open 24 in., weight No. 816—176 in. Octagon Steel, to open 24 in., weight No. 817—178 in. Octagon Steel, to open 24 in., weight No. 819—176 in. Octagon Steel, to open 26 in., weight No. 820—176 in. Octagon Steel, to open 32 in., weight No. 531—176 in. Octagon Steel, to open 32 in., weight No. 532—176 in. Octagon Steel, to open 32 in., weight No. 533—178 in. Octagon Steel, to open 32 in., weight No. 533—178 in. Octagon Steel, to open 42 in., weight No. 534—176 in. Octagon Steel, to open 42 in., weight No. 535—178 in. Octagon Steel, to open 48 in., weight No. 536—176 in. Octagon Steel, to open 49 in., weight No. 535—178 in. Octagon Steel, to open 49 in., weight No. 536—178 in. Octagon Steel, to open 49 in., weight No. 535—178 in. Octagon Steel, to open 60 in., weight No. 536—178 in. Octagon Steel, to open 60 in., weight No. 537—178 in. Octagon Steel, to open 60 in., weight No. 537—178 in. Octagon Steel, to open 60 in., weight No. 536—178 in. Octagon Steel, to open 60 in., weight No. 537—178 in. Octagon Steel, to open 60 in., weight No. 538—2 in. Octagon Steel, to open 60 in., weight No. 539—2 in. Octagon Steel, to open 60 in., weight No. 829—2 in. Octagon Steel, to open 60 in., weight No. 830—2 in. Octagon Steel, to open 32 in., weight No. 831—2 in. Octagon Steel, to open 60 in., weight No. 831—2 in. Octagon Steel, to open 60 in., weight No. 831—2 in. Octagon Steel, to open 60 in., weight No. 839—2 in. Octagon Steel, to open 60 in., weight No. 539—2 in. Octagon Steel, to open 60 in., weight No. 539—2 in	No. 524—13/4 in. Octagon Steel, to open 50 in., weight 75 lbs.	0100
No. 527—134 in. Octagon Steel, to open 54 in., weight 85 lbs. 23.75 No. 528—134 in. Octagon Steel, to open 66 in., weight 91 lbs. 25.50 No. 528—134 in. Octagon Steel, to open 66 in., weight 98 lbs. 27.50 No. 530—134 in. Octagon Steel, to open 72 in., weight 104 lbs. 32.00 No. 814—178 in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—178 in. Octagon Steel, to open 18 in., weight 61 lbs. 19.35 No. 817—178 in. Octagon Steel, to open 20 in., weight 61 lbs. 19.35 No. 817—178 in. Octagon Steel, to open 24 in., weight 65 lbs. 19.90 No. 818—178 in. Octagon Steel, to open 24 in., weight 67 lbs. 20.25 No. 829—2 in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 533—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 533—178 in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 533—178 in. Octagon Steel, to open 32 in., weight 71 lbs. 22.00 No. 533—178 in. Octagon Steel, to open 36 in., weight 71 lbs. 22.00 No. 535—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 48 in., weight 71 lbs. 22.00 No. 535—178 in. Octagon Steel, to open 49 in., weight 71 lbs. 20.90 No. 535—178 in. Octagon Steel, to open 49 in., weight 71 lbs. 20.90 No. 535—178 in. Octagon Steel, to open 60 in., weight 71 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 71 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—179 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 536—20 in. Octagon Steel, to open 60 in., weight 71 lbs. 23.40 No. 530—20 in. Octagon Steel, to open 60 in., weight 71 lbs. 24.50 No. 530—20 in. Octagon Steel, to open 60 in., weight 71 lbs. 24.50 No. 539—20	10. 12 1—134 III. Octagon Steel, to open 12 mi,	20 -0
No. 528—134 in. Octagon Steel, to open 60 in., weight 91 lbs. 25.50 No. 529—134 in. Octagon Steel, to open 66 in., weight 98 lbs. 27.50 No. 530—134 in. Octagon Steel, to open 72 in., weight 104 lbs. 32.00 No. 814—178 in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—178 in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 816—178 in. Octagon Steel, to open 24 in., weight 61 lbs. 19.35 No. 817—178 in. Octagon Steel, to open 24 in., weight 67 lbs. 19.35 No. 818—178 in. Octagon Steel, to open 24 in., weight 67 lbs. 20.25 No. 819—178 in. Octagon Steel, to open 28 in., weight 69 lbs. 20.50 No. 820—178 in. Octagon Steel, to open 32 in., weight 71 lbs. 20.90 No. 531—178 in. Octagon Steel, to open 32 in., weight 77 lbs. 22.00 No. 533—178 in. Octagon Steel, to open 42 in., weight 77 lbs. 22.00 No. 533—178 in. Octagon Steel, to open 42 in., weight 78 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 42 in., weight 79 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 42 in., weight 79 lbs. 25.80 No. 535—178 in. Octagon Steel, to open 42 in., weight 95 lbs. 25.80 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 118 lbs. 35.00 No. 536—178 in. Octagon Steel, to open 60 in., weight 118 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 61 in., weight 118 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 61 in., weight 71 lbs. 23.40 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 No. 824—2 in. Octagon Steel, to open 24 in., weight 71 lbs. 23.40 No. 825—2 in. Octagon Steel, to open 26 in., weight 71 lbs. 24.00 No. 830—2 in. Octagon Steel, to open 28 in., weight 79 lbs. 24.00 No. 830—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 25.25 No. 830—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 830—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 830—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Oc		00 ==
No. 529—134 in. Octagon Steel, to open 66 in., weight 98 lbs. 27.50 No. 530—134 in. Octagon Steel, to open 16 in., weight 104 lbs. 32.00 No. 814—178 in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—178 in. Octagon Steel, to open 18 in., weight 59 lbs. 19.10 No. 816—178 in. Octagon Steel, to open 20 in., weight 57 lbs. 19.10 No. 818—178 in. Octagon Steel, to open 24 in., weight 61 lbs. 19.35 No. 817—178 in. Octagon Steel, to open 24 in., weight 67 lbs. 20.25 No. 819—178 in. Octagon Steel, to open 26 in., weight 69 lbs. 20.50 No. 820—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 531—178 in. Octagon Steel, to open 32 in., weight 71 lbs. 21.35 No. 533—178 in. Octagon Steel, to open 32 in., weight 77 lbs. 22.00 No. 534—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 42 in., weight 89 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 44 in., weight 89 lbs. 25.80 No. 535—178 in. Octagon Steel, to open 44 in., weight 91 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 822—2 in. Octagon Steel, to open 61 in., weight 101 lbs. 30.50 No. 823—2 in. Octagon Steel, to open 16 in., weight 114 lbs. 35.65 No. 823—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 No. 825—2 in. Octagon Steel, to open 20 in., weight 71 lbs. 23.40 No. 826—2 in. Octagon Steel, to open 20 in., weight 71 lbs. 23.40 No. 829—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 830—2 in. Octagon Steel, to open 36 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 36 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 833—2 in. Octago	No. 527—13/4 in. Octagon Steel, to open 34 in., weight 03 lbs	
No. 530—134 in. Octagon Steel, to open 72 in., weight 104 lbs. 32.00 No. 814—176 in. Octagon Steel, to open 16 in., weight 57 lbs. 18.80 No. 815—176 in. Octagon Steel, to open 20 in., weight 65 lbs. 19.35 No. 817—176 in. Octagon Steel, to open 24 in., weight 67 lbs. 20.25 No. 819—176 in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 819—176 in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 821—176 in. Octagon Steel, to open 30 in., weight 77 lbs. 20.90 No. 821—176 in. Octagon Steel, to open 32 in., weight 77 lbs. 20.90 No. 531—176 in. Octagon Steel, to open 32 in., weight 77 lbs. 22.00 No. 532—176 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 533—176 in. Octagon Steel, to open 48 in., weight 83 lbs. 23.75 No. 533—176 in. Octagon Steel, to open 48 in., weight 95 lbs. 27.50 No. 536—176 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—176 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—176 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—176 in. Octagon Steel, to open 66 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 114 lbs. 35.65 No. 824—2 in. Octagon Steel, to open 26 in., weight 77 lbs. 23.40 No. 825—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 829—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 23.70 No. 829—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 36 in., weight 97 lbs. 24.50 No. 830—2 in. Octagon Steel, to open 36 in., weight 97 lbs. 26.55 No. 831—2 in. Octagon Steel, to open 36 in., weight 111 lbs. 36.85 No. 830—2 in. Octagon Steel, to open 36 in., weight 111 lbs. 36.85 No. 830—2 in. Octagon Steel, to open 36 in., weight 118 lbs. 25.65 No. 831—2 in. Octagon Steel, to open 36 in., weight 118 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 36 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 40 lbs. 12.50 No. 538—2 x 3/4 in. Fl	1 VO. JZU-1/4 III. Octuber Steel, to spen	
No. 814—1½ in. Octagon Steel, to open 16 in., weight No. 815—1½ in. Octagon Steel, to open 18 in., weight No. 816—1½ in. Octagon Steel, to open 20 in., weight No. 816—1½ in. Octagon Steel, to open 24 in., weight No. 818—1½ in. Octagon Steel, to open 24 in., weight No. 818—1½ in. Octagon Steel, to open 26 in., weight No. 819—1½ in. Octagon Steel, to open 28 in., weight No. 820—1½ in. Octagon Steel, to open 30 in., weight No. 531—1½ in. Octagon Steel, to open 36 in., weight No. 533—1½ in. Octagon Steel, to open 36 in., weight No. 534—1½ in. Octagon Steel, to open 42 in., weight No. 535—1½ in. Octagon Steel, to open 48 in., weight No. 536—1½ in. Octagon Steel, to open 66 in., weight No. 537—1½ in. Octagon Steel, to open 66 in., weight No. 536—1½ in. Octagon Steel, to open 66 in., weight No. 536—1½ in. Octagon Steel, to open 16 in., weight No. 823—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 16 in., weight No. 825—2 in. Octagon Steel, to open 16 in., weight No. 826—2 in. Octagon Steel, to open 26 in., weight No. 827—2 in. Octagon Steel, to open 26 in., weight No. 828—2 in. Octagon Steel, to open 26 in., weight No. 830—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 48 in., weight No. 831—2 in. Octagon Steel, to open 48 in., weight No. 830—2 in. Octagon Steel, to open 48 in., weight No. 830—2 in. Octagon Steel, to open 48 in., weight No. 830—2 in. Octagon Steel, to open 30 in., weight No. 540—2 x ¾ in. Flat Steel, to open 32 in., weight 4	10. JZJ III. Octagon Steel, to open of mi,	
No. 815—1% in. Octagon Steel, to open 18 in., weight No. 816—17/8 in. Octagon Steel, to open 20 in., weight No. 817—17/8 in. Octagon Steel, to open 26 in., weight No. 818—17/8 in. Octagon Steel, to open 26 in., weight No. 819—17/8 in. Octagon Steel, to open 28 in., weight No. 820—17/8 in. Octagon Steel, to open 30 in., weight No. 821—17/8 in. Octagon Steel, to open 30 in., weight No. 531—17/8 in. Octagon Steel, to open 30 in., weight No. 532—17/8 in. Octagon Steel, to open 36 in., weight No. 533—17/8 in. Octagon Steel, to open 42 in., weight No. 533—17/8 in. Octagon Steel, to open 48 in., weight No. 534—17/8 in. Octagon Steel, to open 48 in., weight No. 535—17/8 in. Octagon Steel, to open 60 in., weight No. 535—17/8 in. Octagon Steel, to open 60 in., weight 101 lbs. No. 536—17/8 in. Octagon Steel, to open 60 in., weight 11 lbs. No. 537—17/8 in. Octagon Steel, to open 60 in., weight 11 lbs. No. 537—17/8 in. Octagon Steel, to open 60 in., weight 11 lbs. No. 823—2 in. Octagon Steel, to open 18 in., weight 11 lbs. No. 824—2 in. Octagon Steel, to open 18 in., weight No. 823—2 in. Octagon Steel, to open 16 in., weight No. 824—2 in. Octagon Steel, to open 24 in., weight No. 824—2 in. Octagon Steel, to open 26 in., weight No. 826—2 in. Octagon Steel, to open 26 in., weight No. 827—2 in. Octagon Steel, to open 26 in., weight No. 828—2 in. Octagon Steel, to open 26 in., weight No. 829—2 in. Octagon Steel, to open 26 in., weight No. 829—2 in. Octagon Steel, to open 30 in., weight No. 830—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 30 in., weight No. 831—2 in. Octagon Steel, to open 31 in., weight No. 831—2 in. Octagon Steel, to open 32 in., weight No. 831—10 in. Octagon Steel, to open 32 in., weight No. 831—10 in. Octagon Steel, to open 32 in., weight No. 831—10 in. Octagon Steel, to open 32 in., weight No. 538—2 x 3/4 in. Flat Stee	10. JJU-174 III. Octagon Steel, to open 12 mm,	1000
No. 816—178 in. Octagon Steel, to open 20 in., weight 61 lbs. 19.35 No. 817—178 in. Octagon Steel, to open 24 in., weight 65 lbs. 19.90 No. 818—178 in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 819—178 in. Octagon Steel, to open 28 in., weight 69 lbs. 20.50 No. 820—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 821—178 in. Octagon Steel, to open 32 in., weight 77 lbs. 22.00 No. 531—178 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 532—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 60 in., weight 95 lbs. 27.50 No. 534—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 537—178 in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 60 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 114 lbs. 35.65 No. 823—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 No. 826—2 in. Octagon Steel, to open 20 in., weight 71 lbs. 24.00 No. 827—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 828—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 830—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 30 in., weight 91 lbs. 27.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 91 lbs. 27.65 No. 830—2 in. Octagon Steel, to open 66 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50 No. 539—2 x 3/4 in. Flat Steel, to open 60 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat	10. 014-178 III. Octagon Steel, to open is and	
No. 817—178 in. Octagon Steel, to open 24 in., weight 65 lbs. 19.90 No. 818—178 in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 819—178 in. Octagon Steel, to open 28 in., weight 69 lbs. 20.50 No. 820—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 821—178 in. Octagon Steel, to open 32 in., weight 73 lbs. 21.35 No. 531—178 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 532—178 in. Octagon Steel, to open 42 in., weight 77 lbs. 22.00 No. 533—178 in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 61 in., weight 108 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 62 in., weight 108 lbs. 33.00 No. 536—178 in. Octagon Steel, to open 16 in., weight 108 lbs. 33.00 No. 536—179 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 825—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 826—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 24.50 No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 42 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 30 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 42 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 41 lbs. 31.60 No. 540—2 x 3/4 in. Flat		1000
No. 818—178 in. Octagon Steel, to open 26 in., weight 67 lbs. 20.25 No. 819—178 in. Octagon Steel, to open 28 in., weight 71 lbs. 20.90 No. 820—178 in. Octagon Steel, to open 30 in., weight 73 lbs. 21.35 No. 531—178 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 532—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 48 in., weight 89 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 114 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 114 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 114 lbs. 35.65 No. 823—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 825—2 in. Octagon Steel, to open 16 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 20 in., weight 79 lbs. 24.50 No. 827—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 25.25 No. 829—2 in. Octagon Steel, to open 36 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 97 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 48 in., weight 97 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 48 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 40 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 40 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 40 in., weight 115 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 40 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 40 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 40 in., weight 40 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel,	No. 816—178 in. Octagon Steel, to open 20 in., Weight of ibs	1000
No. 819—178 in. Octagon Steel, to open 28 in., weight 69 lbs. 20.50 No. 820—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 821—178 in. Octagon Steel, to open 32 in., weight 73 lbs. 21.35 No. 531—178 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 532—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 48 in., weight 95 lbs. 27.50 No. 534—178 in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 66 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.70 No. 826—2 in. Octagon Steel, to open 20 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 829—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.25 No. 829—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 97 lbs. 29.60 No. 831—2 in. Octagon Steel, to open 30 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 114 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel,	No. 817—17/8 in. Octagon Steel, to open 24 in., weight 65 lbs	
No. 820—178 in. Octagon Steel, to open 30 in., weight 71 lbs. 20.90 No. 821—178 in. Octagon Steel, to open 32 in., weight 73 lbs. 21.35 No. 531—178 in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 532—178 in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—178 in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—178 in. Octagon Steel, to open 54 in., weight 89 lbs. 27.50 No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 66 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 71 lbs. 23.40 No. 824—2 in. Octagon Steel, to open 18 in., weight 75 lbs. 24.00 No. 826—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 826—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 828—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 25.25 No. 829—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.25 No. 830—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 25.65 No. 831—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 831—2 in. Octagon Steel, to open 30 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 30 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 66 in., weight 111 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 111 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 111 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50 No. 538—2 x 3/4 in. Flat Steel, to open 66 in., weight 49 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	10. 010—178 III. Octagon Steel, to open 20 mi,	
No. 821—17% in. Octagon Steel, to open 32 in., weight 73 lbs. 22.00 No. 531—17% in. Octagon Steel, to open 42 in., weight 77 lbs. 22.00 No. 532—17% in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—17% in. Octagon Steel, to open 48 in., weight 95 lbs. 27.50 No. 534—17% in. Octagon Steel, to open 54 in., weight 101 lbs. 30.50 No. 535—17% in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 536—17% in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 537—17% in. Octagon Steel, to open 66 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 825—2 in. Octagon Steel, to open 20 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 24 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 828—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 36 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 91 lbs. 27.65 No. 833—2 in. Octagon Steel, to open 46 in., weight 118 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 42 in., weight 49 lbs. 15.00 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	10. 01 1 1/8 III. Octagon Steel, to open 20 mm,	The second secon
No. 531—17% in. Octagon Steel, to open 36 in., weight 77 lbs. 22.00 No. 531—17% in. Octagon Steel, to open 42 in., weight 83 lbs. 23.75 No. 533—17% in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—17% in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—17% in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—17% in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—17% in. Octagon Steel, to open 66 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 73 lbs. 23.70 No. 825—2 in. Octagon Steel, to open 20 in., weight 79 lbs. 24.00 No. 826—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight No. 827—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 24.80 No. 829—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 97 lbs. 26.35 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 46 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 46 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 72 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 72 in., weight 40 lbs. 12.50 No. 538—2 x 34 in. Flat Steel, to open 32 in., weight 42 lbs. 13.15 No. 540—2 x 34 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 541—2 x 34 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 34 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25		
No. 532—17/8 in. Octagon Steel, to open 42 in., weight 83 lbs. 25.80 No. 533—17/8 in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—17/8 in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—17/8 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—17/8 in. Octagon Steel, to open 60 in., weight 108 lbs. 33.00 No. 537—17/8 in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 18 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 75 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 79 lbs. 24.50 No. 827—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 45 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 49 lbs. 12.50 No. 541—2 x 3/4 in. Flat Steel, to open 42 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		00.00
No. 533—17% in. Octagon Steel, to open 48 in., weight 89 lbs. 25.80 No. 534—17% in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—17% in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—17% in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—17% in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 28 in., weight 81 lbs. 25.25 No. 829—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 831—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 91 lbs. 27.65 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 539—2 x 34 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 34 in. Flat Steel, to open 36 in., weight 49 lbs. 13.15 No. 540—2 x 34 in. Flat Steel, to open 36 in., weight 49 lbs. 13.15 No. 540—2 x 34 in. Flat Steel, to open 42 in., weight 49 lbs. 15.00 No. 541—2 x 34 in. Flat Steel, to open 54 in., weight 49 lbs. 15.00 No. 542—2 x 34 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		
No. 534—17% in. Octagon Steel, to open 54 in., weight 95 lbs. 27.50 No. 535—17% in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—17% in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—17% in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 81 lbs. 25.25 No. 829—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 830—2 in. Octagon Steel, to open 36 in., weight 87 lbs. 26.35 No. 831—2 in. Octagon Steel, to open 42 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 91 lbs. 29.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 539—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 36 in., weight 40 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 49 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 49 lbs. 15.00 No. 541—2 x 3/4 in. Flat Steel, to open 42 in., weight 49 lbs. 15.00 No. 541—2 x 3/4 in. Flat Steel, to open 54 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 49 lbs. 16.25	No. 532—17/8 in. Octagon Steel, to open 42 in., weight 83 lbs	
No. 535—178 in. Octagon Steel, to open 60 in., weight 101 lbs. 30.50 No. 536—178 in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 97 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 42 in., weight 111 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 42 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 60 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 36 in., weight 40 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	10. JJJ 178 III. Octagon Steel, to open to mi, weight	
No. 536—178 in. Octagon Steel, to open 66 in., weight 108 lbs. 33.00 No. 537—178 in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65 No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40 No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 28 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 60 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	140. JJ4—178 III. Octagon Steel, to open 5 1 III., weight	
No. 537—178 in. Octagon Steel, to open 72 in., weight 114 lbs. 35.65  No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40  No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70  No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00  No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50  No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80  No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25  No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65  No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35  No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65  No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60  No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60  No. 833—2 in. Octagon Steel, to open 60 in., weight 111 lbs. 34.20  No. 833—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 32 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 32 in., weight 40 lbs. 12.50  No. 538—2 x 3/4 in. Flat Steel, to open 36 in., weight 40 lbs. 12.50  No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 13.15  No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		
No. 822—2 in. Octagon Steel, to open 16 in., weight 71 lbs. 23.40  No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70  No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00  No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50  No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80  No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25  No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65  No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35  No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65  No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60  No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60  No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20  No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 361—2 in. Octagon Steel, to open 32 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 32 in., weight 40 lbs. 12.50  No. 538—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 536—17/8 in. Octagon Steel, to open 66 in., weight 100 lbs	
No. 823—2 in. Octagon Steel, to open 18 in., weight 73 lbs. 23.70 No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 32 in., weight 40 lbs. 12.50 No. 538—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		00 10
No. 824—2 in. Octagon Steel, to open 20 in., weight 75 lbs. 24.00 No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 32 in., weight 40 lbs. 12.50 No. 538—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		00 00
No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs. 24.50 No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 45 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25		0100
No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs. 24.80 No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25 No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	110. 024—Z III. Octagon Steel, to open 2 and	01 -0
No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs. 25.25  No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65  No. 829—2 in. Octagon Steel, to open 30 in., weight 87 lbs. 26.35  No. 830—2 in. Octagon Steel, to open 32 in., weight 91 lbs. 27.65  No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60  No. 832—2 in. Octagon Steel, to open 42 in., weight 104 lbs. 31.60  No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20  No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50  No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10  No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50  No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	No. 825—2 in. Octagon Steel, to open 24 in., weight 79 lbs	0100
No. 828—2 in. Octagon Steel, to open 30 in., weight 85 lbs. 25.65 No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 48 in., weight 52 lbs. 16.25	No. 826—2 in. Octagon Steel, to open 26 in., weight 81 lbs	0-0-
No. 829—2 in. Octagon Steel, to open 32 in., weight 87 lbs. 26.35 No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65 No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60 No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 48 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10 No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 827—2 in. Octagon Steel, to open 28 in., weight 83 lbs	
No. 830—2 in. Octagon Steel, to open 36 in., weight 91 lbs. 27.65  No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60  No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60  No. 833—2 in. Octagon Steel, to open 54 in., weight 111 lbs. 34.20  No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50  No. 361—2 in. Octagon Steel, to open 66 in., weight 134 lbs. 42.10  No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50  No. 539—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40  No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		
No. 831—2 in. Octagon Steel, to open 42 in., weight 97 lbs. 29.60  No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60  No. 833—2 in. Octagon Steel, to open 54 in., weight 111 lbs. 34.20  No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85  No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50  No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs. 42.10  No. 538—2 x 3/4 in. Flat Steel, to open 32 in., weight 40 lbs. 12.50  No. 540—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs. 14.40  No. 541—2 x 3/4 in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	110. OZ Z mi Octoben zeren, er p	
No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs. 31.60 No. 833—2 in. Octagon Steel, to open 54 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 60 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50 No. 538—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 72 in., weight 134 lbs. 42.10 No. 538—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		
No. 833—2 in. Octagon Steel, to open 54 in., weight 111 lbs. 34.20 No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs. 42.10 No. 538—2 x ¾ in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x ¾ in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x ¾ in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x ¾ in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x ¾ in. Flat Steel, to open 54 in., weight 52 lbs. 16.25		
No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs. 36.85 No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50 No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs. 42.10 No. 538—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 832—2 in. Octagon Steel, to open 48 in., weight 104 lbs	24.20
No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs. 39.50  No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs. 42.10  No. 538—2 x ¾ in. Flat Steel, to open 32 in., weight 40 lbs. 12.50  No. 539—2 x ¾ in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x ¾ in. Flat Steel, to open 42 in., weight 45 lbs. 14.40  No. 541—2 x ¾ in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x ¾ in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 833—2 in. Octagon Steel, to open 54 in., weight 111 lbs	
No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs. 42.10  No. 538—2 x ¾ in. Flat Steel, to open 32 in., weight 40 lbs. 12.50  No. 539—2 x ¾ in. Flat Steel, to open 36 in., weight 42 lbs. 13.15  No. 540—2 x ¾ in. Flat Steel, to open 42 in., weight 45 lbs. 14.40  No. 541—2 x ¾ in. Flat Steel, to open 48 in., weight 49 lbs. 15.00  No. 542—2 x ¾ in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 359—2 in. Octagon Steel, to open 60 in., weight 118 lbs	20.50
No. 538—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 32 in., weight 40 lbs. 12.50 No. 539—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 36 in., weight 42 lbs. 13.15 No. 540—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 42 in., weight 45 lbs. 14.40 No. 541—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 48 in., weight 49 lbs. 15.00 No. 542—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 54 in., weight 52 lbs. 16.25	No. 360—2 in. Octagon Steel, to open 66 in., weight 126 lbs	39.30
No. 539—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 36 in., weight 42 lbs	No. 361—2 in. Octagon Steel, to open 72 in., weight 134 lbs	
No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs	No. 538—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 32 in., weight 40 lbs	
No. 541—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 48 in., weight 49 lbs	No. 539—2 x 3/4 in. Flat Steel, to open 36 in., weight 42 lbs	
No. 542—2 x 3/4 in. Flat Steel, to open 54 in., weight 52 lbs 16.25	No. 540—2 x 3/4 in. Flat Steel, to open 42 in., weight 45 lbs	4 - 00
	No. 541—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 48 in., weight 49 lbs	
No. 543—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 60 in., weight 55 lbs 17.50	No. 542—2 x <sup>3</sup> / <sub>4</sub> in. Flat Steel, to open 54 in., weight 52 lbs	
	No. 543— $2 \times \frac{3}{4}$ in. Flat Steel, to open 60 in., weight 55 lbs	17.30

### PACIFIC COAST LOGGING TOOLS



#### Choker Hooks, Forged from High Carbon Steel

		Average	Price
Number	Size	Weight	Each
1035	$\frac{3}{4} \times 2$ inch	31/2 lbs.	\$2.00
1036	$\frac{7}{8} \times \frac{21}{2}$ inch	$5\frac{1}{4}$ lbs.	2.60
1037	1 x 3 inch	$7\frac{1}{2}$ lbs.	2.95
1038	1 x 4 inch	131/4 lbs.	4.05
1039	$1\frac{1}{4} \times 4\frac{1}{2}$ inch	18 lbs.	4.45




1040

Number

1041

### Swivel Choker Hooks, Forged from High Carbon Steel


Average Price Weight Each 13 lbs. \$8.60



Size 2 inch

#### Swivel and Line Hooks. Forged from High Carbon Steel

Average	Price
Weight	Each
$231/_{2}$ lbs.	\$ 9.20
40 lbs.	11.00



#### Grab Hooks, Forged from Crucible Steel

Price
Each
\$ 8.80
10.20
11.80
13.30
15.90

#### PACIFIC COAST LOGGING TOOLS

# Swamp Hooks, Forged from Crucible Steel



Number	Size	Average Weight	Price Each
1048	11/2 inch Octagon	$12\frac{3}{4}$ lbs.	\$3.70
1049	15/8 inch Octagon	$14\frac{1}{2}$ lbs.	4.60
1050	13/4 inch Octagon	$16\frac{1}{2}$ lbs.	5.50
1051	17/8 inch Octagon	20 lbs.	6.30
1052	2 inch Octagon	233/4 lbs.	7.00

Line Hooks or Round Hooks

"Washington" pattern has the eye at right angles to the hook. The "Oregon" pattern has the eye in the same plane as the hook.

# Washington Pattern, Forged from

### High Carbon Steel

Number	Size	Average Weight	Price Each
1054	11/2 inch	$5\frac{1}{2}$ lbs.	\$2.20
1055	2 inch	10 lbs.	3.30
1056	21/4 inch	151/4 lbs.	4.40

# Oregon Pattern, Forged from

# High Carbon Steel

Number	Size	Average Weight	Price Each
1058	11/2 inch	$5\frac{1}{2}$ lbs.	\$2.20
1059	2 inch	10 lbs.	3.30
1060	21/4 inch	151/4 lbs.	4.40

### Tacoma Pattern Marlin Spike for Wire Rope High Carbon Steel

Number Average Weight 1061 31/4 lbs.



#### Dagger Blade for Wire Rope

Number Average Weight 1062 13/4 lbs.

Price Each \$1.50

Price Each

#### LOADING BLOCKS



# BADGER DOUBLE GRIP CAR MOVER "Never Slip"



#### **SPURS**

The great essential in any Car Mover is the Spur. Our Never-Slip Concave Spur is the latest and best construction yet obtained for gripping the car rail so that the car mover positively will not slip.

By setting two spurs in concave, we surround the surface of the rail, catching the corners where it is soft, also getting a double hold on same.

No. 877 Badger Car Mover, each.....\$5.00

# LOG MARKING HAMMERS



No. 880 Log Marking Hammers, 1 to 3 letters, 1½ inch. Each \$2.00 If a Special Design of Hammer is wanted, add \$1.50 for cost of pattern.

#### COMBINED HORSE SHOE DOLLY

and Timber Roller



#### Timber Trucks



#### Car Door Lumber Rollers

Adjustable to fit openings 60 to 72 inches wide. The best and cheapest device on the market for loading and unloading lumber. The cost of a Roller is often saved in a single shipment of lumber.



### ALL METAL TIMBER TRUCKS



#### Box Trucks



Low trucks, strong and well made, for handling large boxes or bales. Sharp cone head bolts to prevent package from slipping. Axles turned and wheels bored.

No.	Size inches	Size of Wheel inches	Size of Frame inches	Weight pounds	Price each
846	18 x 18	31/2	3 x 3	25	\$3.50
847	16 x 24	31/2	3 x 3	35	4.00
848	16 x 24	41/2	4 x 4	35	4.50

### Braced Box Trucks




Has two iron braces between axles. Made of seasoned hardwood. Length 24 inches, width 16 inches. Wheels  $4 \times 11/2$  inches. Axle 3/4 inch square. Weight 35 pounds.

#### RAFTING DOGS



### Eye Dog

No. 396—7	-16 x 6 inches x 11/4 in. Eye	. Per 100 pieces\$12.00
No. 397—	$1/2 \times 6$ inches $\times 11/4$ in. Eye	e. Per 100 pieces 14.00
No. 398—	$\frac{5}{8}$ x 6 inches x $\frac{11}{2}$ in. Eye	. Per 100 pieces 18.00
No. 399—	$\frac{3}{4}$ x 7 inches x $1\frac{1}{2}$ in. Eye	. Per 100 pieces 25.00




# Chain Rafting Dog

No. 642—Chain Dogs, made with 5 links of chain, size of dog  $1\frac{1}{8}$  x  $\frac{3}{8}$  in. Per 100 pieces....\$25.00



# Ring Dog

No. 643—Ring Dog, <sup>3</sup> / <sub>4</sub> -in. square iron with 2 in. Rings. Per	
100 pieces	\$18.00
No. 644—Ring Dogs, 7/8-in. square iron with 21/2 in. Rings.	
Per 100 pieces	21.00
No. 645—Ring Dogs, 1 in. square iron with 3 in. Rings. Per	
100 pieces	24.00





No. 663







Price List

N	No. 660—Improved Bull Dog Grabs, Drop Forged. Per dozen .\$	7.00
N	No. 661—Crotch Grabs, Hand Forged. Per dozen	42.00
N	No. 662—Carting Grabs, Hand Forged. Per dozen	61.00
N	No. 663—Trailers with Forged Swivels. Per dozen	32.00
N	No. 664—Grab Mauls. Per dozen	16.00
1,	Vo. 007—Grab Mauis. Tel dozen	

#### CHAIN HOOKS AND COLD SHUTS

Our Cold Shuts and Chain Hooks are made of Mild Tough Steel in most approved patterns and are superior goods in every respect. Can furnish in natural color or "tumbled bright," as preferred.

#### Grab Hooks



			Per	100	) pieces
No. 601—For	1/4	in.	Chain		\$10.00
No. 602—For	5-16	in.	Chain		13.00
No. 603—For	3/8	in.	Chain		18.30
No. 604—For	7-16	in.	Chain		22.50
No. 605—For	1/2	in.	Chain		31.70
No. 606—For	5/8	in.	Chain		50.00
No. 607—For	3/4	in.	Chain		66.50

#### Round Hooks



		Per 100 pieces
No. 608—For	1/4	in. Chain \$10.00
No. 609—For	5-16	in. Chain 13.00
No. 610—For	3/8	in. Chain 18.30
No. 611—For	7-16	in. Chain 22.50
No. 612—For	1/2	in. Chain 31.70
No. 613—For	5/8	in. Chain 50.00
No. 614—For	3/4	in. Chain 66.50

#### Mild Steel Cold Shuts

Can furnish without shoulder (full end) if so ordered.



COLD SHUT WITH SHOULDER	COLD	SHUT	WITH	SHOULDER
-------------------------	------	------	------	----------

						Per	100	pieces
	No.	615—Fo	r 1/4	in.	Chain.		\$	2.65
	No.	616—Fo	r 5-16	in.	Chain.			3.50
	No.	617—Fo	$r \frac{3}{8}$	in.	Chain.			4.20
	No.	618—Fo	r 7-16	in.	Chain.			5.00
	No.	619—Fo	$r^{1/2}$	in.	Chain.			7.50
١	No.	620—Fo	$r \frac{5}{8}$	in.	Chain.			11.00
ĺ	No.	621-Fo	$r \frac{3}{4}$		Chain.			
4	No.	622-Fo	$r \frac{7}{8}$		Chain.			
		623-Fo		in.	Chain.			53.35

# BENJAMIN PATENT LOAD OR LOG BINDER



		Hookaroon Heads Only	
	No. 598-	—Heavy, with Axe Eye. Per dozen	
	No. 599-	—Light, with Axe Eye. Per dozen	8.00
	No. 423-	—Double Pick, Solid Eye. Per dozen	12.50
	No. 629–	–Evener Staple, hand made. Per dozen	9.50
	No. 628–	–Evener Clevis, with screw or Cotter pin. Per dozen	9.00
Ü	No. 624–	–Steel Saw Wedges, assorted 1½ to 3 lbs. Per lb	.14
0	No. 625–	-Swivel Round Hook, 1 in. steel with 5/8 in. ring. Per dozen	12.00
	No. 626–	-Swivel Grab Hook, 1 in. steel with 5/8 in. ring. Per dozen	12.00
	No. 627—	-Evener Swivel Grab Hook, of 1 in. steel with 5/8 in. ring and hand ring. Per dozen	17.50

### **EXTRA PARTS**

Continued

Hooks for Peavies and Cant Hooks
No. 563— 7/8x 1/6   Duckbill, regular
No. $567-11/4x1/2$ Duckbill, regular
No. 371—1 $x\frac{1}{2}$ Round, extra long (13" or 14")
No. 569— $\frac{7}{8} \mathbf{x}_{16}^{T_6}$ Chisel Point
No. 375—1 x <sub>16</sub> Concave or Holmes Duckbill 14.00 No. 376—1 xl/2 Concave or Holmes Duckbill 16.50 No. 377—11/ <sub>8</sub> xl/ <sub>2</sub> Concave or Holmes Duckbill 19.00 No. 378—1 xl/ <sub>2</sub> Extra Heavy Diamond Top
Loaders
Can furnish Duckbill if desired.  No. 572—1 x1/2 Special Top Loader Hooks made of Tool Steel Duckbill or Diamond Head
Cant Hook and Peavey Bolts
No. 381—76x15/8 Square Under Head. Per 100\$5.60 No. 592— 13/4 Square Under Head. Per 100\$5.90 No. 382— 17/8 Square Under Head. Per 100\$5.20
No. 383—76 x 15/8 Special C. H. Bolts. Per 100. 6.50  No. 384—1/2 x 15/8 Special C. H. Bolts. Per 100. 7.00  No. 385— x 13/4 Special C. H. Bolts. Per 100. 7.40  No. 386— x 2 Special C. H. Bolts. Per 100. 7.80

#### EXTRA PARTS FOR LOGGING TOOLS



#### Malleable Cant Hook Clasps

No. 364—21/4 in.	Per dozen\$4	.75
No. $573-21/2$ in.	Per dozen 5	.00
No. 574—23/4 in.	Per dozen 5	.75
No. 575—3 in.	Per dozen 7	.00




#### Hand Forged Steel Cant Hook Clasps

No. 365-21/4 i	n. P	Per dozen	57.50
No. 576-21/2 i	n. P	Per dozen	7.75
No. 577-23/4 i	n. P	Per dozen	8.30
No. 578—3 i	n. P	Per dozen	9.50

### Cant Hooks Clips



No. 582—Malleable Iron, for all size Tools. Per dozen. \$2.25 No. 366—Forged Steel, for all size Tools. Per dozen. 3.00



#### Pike Pole Pikes and Hooks

No. 594—Straight. Per dozen. \$10.00

No. 595—Curved. Per dozen. . \$10.00

No. 596—Pike only. Per dozen.\$6.25



No. 597—Pike Pole Ferrules. Per dozen sets ......\$4.50



#### Southern Boat Hooks

No. 554—Forged Steel.	
Per dozen	\$19.00
No. 555—Forged Steel.	Large.
Per dozen	20.50

EXTRA PARTS—Continued					
Malleable Short Toe Rings  No. 579—For $2\frac{1}{2}$ , $2\frac{3}{4}$ or 3 in. Tools. Per dozen\$1.50  Give size when ordering.					
Malleable Extension Toe Rings					
No. 580—For all size Tools. Per dozen\$2.50					
Give size when ordering.					
Forged Steel Toe Rings					
No. 581—For all size Tools. Per dozen\$2.90					
Give size when ordering.					
Combined Clip and Toe Ring No. 387—For all size Tools. Per dozen\$8.00					
Malleable Peavey Sockets					
No. Per dozen 583—For 2½ in. Tools\$ 9.50 584—For 2½ in. Tools 10.00 585—For 2¾ in. Tools 11.25 586—For 3 in. Tools 12.50					
All Steel Peavey Socket					
(Socket Pick and Clasp One Piece.)					
No. Per dozen 388—For 2½ in. Tools\$22.40 389—For 2½ in. Tools 23.00 390—For 2¾ in. Tools 24.15 391—For 3 in. Tools 25.30					
Forged Steel Peavey Picks					
No. Per dozen 591—For all size Tools\$7.75 Give size when ordering.					
Lug Hook or Timber Carrier Clasp and Swivel No. 593—Per dozen					

# ROCK MAPLE AND BEECH CANT HOOK AND PEAVEY HANDLES

We manufacture our own handles from carefully selected timber. We do not Kiln-dry, but air season them. They are turned with great care, nicely sanded, polished, and put up in bundles of one-half dozen. We can also pack them in crates if desired, at a small additional charge.

Consider that in getting your handles from us, you avoid the risk of having trash and inferior goods sent you. Poor handles are dear at any price. Choice, strong handles are a source of satisfaction to the lumbermen.

The "Regular Grade" is our standard quality. They are carefully sorted and are a first-class handle.

Our "Select Grade" of handles is a selection of the best handles only, a strictly fancy quality.

No. 966—21/4 x 3	Rock Maple and Beech.	Per dozen\$2.50
No. 700— 31/2	Rock Maple and Beech.	Per dozen 2.75
No. 701— 4	Rock Maple and Beech.	Per dozen 3.10
No. 702— 41/2	Rock Maple and Beech.	Per dozen 3.40
No. $967-21/2 \times 3$	Rock Maple and Beech.	Per dozen 2.50
No. 968— 31/3	Rock Maple and Beech.	Per dozen 2.75
No. 703— 4	Rock Maple and Beech.	Per dozen 3.10
	Rock Maple and Beech.	Per dozen 3.40
	Rock Maple and Beech.	Per dozen 3.80
	Rock Maple and Beech.	Per dozen 4.20
	Rock Maple and Beech.	Per dozen 4.60
No. $708-2\frac{3}{4} \times 4\frac{1}{2}$	Rock Maple and Beech.	Per dozen 4.20
No. 709— 5	Rock Maple and Beech.	Per dozen 4.60
No. 710— 51/	2 Rock Maple and Beech.	Per dozen 5.00
	Rock Maple and Beech.	Per dozen 5.40
	Rock Maple and Beech.	Per dozen 5.40
No. 713— 51/	2 Rock Maple and Beech.	Per dozen 5.80
No. 714— 6	Rock Maple and Beech.	Per dozen 6.20

Above prices are for Handles not bored; if wanted bored for pick, add 15 cents net per dozen.

ORDER BY NUMBER

When order does not specify bored, we always ship unbored

# EXTRA SELECT ROCK MAPLE AND BEECH CANT HOOK AND PEAVEY HANDLES

#### A Very Superior Handle

ف					``\	ě.	u (j			ğ	وُنا	í,	Ź,	Ź	,, ,,		Ų.		200	
	No. 945-21/4 x													**					\$3.80	)
	No. 946—	41/2	Per	dozen				 											4.20	0
	No. 947—	5	Per	dozen				 				 							 4.60	)
	No. $969-21/2 \times 10^{-2}$																			
	No. 970—			dozen																
	No. 971— No. 972—			dozen																
	No. 972— No. 973—	6/2	Por	dozen dozen				 											 5.60	)
	110. // )—	U	I CI	dozen				 											 2.00	,

# Second Growth Hand Turned Maple Cant Hook Handles Highly Polished and Waxed—The Best

	Section (green and property)	
No. 982—21/4 x 4	Per dozen	 \$5.50
No. 853— 41/2	Per dozen	 5.80
	Per dozen	
No. 855— 41/2	Per dozen	 5.80
No. 856— 5	Per dozen	 6.20
	Per dozen	
No. $858 - 2\frac{3}{4} \times 4\frac{1}{2}$	Per dozen	 6.60
	Per dozen	
No. 860— 5½	Per dozen	 7.40
No. $861 - 3 \times 4\frac{1}{2}$	Per dozen	 7.40
	Per dozen	
No. 863— 51/2	Per dozen	 8.20

# Timber Carrier or Lug Hook Handles

No. 770—21/2	in. x 4 ft. in length Maple. Per doze	en\$4.00
No. 771—	41/2 ft. in length Maple. Per doze	en 4.50
No. 772—	5 ft. in length Maple. Per doze	en 5.00
	in. x 5 ft. in length Maple. Per doze	
No. 742—	6 ft. in length Maple. Per doze	en 8.00
	in. x 4 ft. in length Hickory. Per do	
No. 730—	41/2 ft. in length Hickory. Per do	zen 6.80
No. 731—	5 ft. in length Hickory. Per do	

Prices are for Handles not bored; if wanted bored for Peavey Pick add 15 cents net per dozen.

Order by number. When not specified bored, we always ship unbored

# HICKORY CANT HOOK AND PEAVEY HANDLES

Our Hickory Handles are carefully turned from selected timber, and nicely sanded, highly polished, finished with our new Lacquer or Linseed Oil if preferred. Put up in bundles of one half dozen each.

An additional charge is made for crating.

No	974—21/4 x	3	Per dozen	\$ 4.00
	850—		Per dozen	4.50
200				5.40
	851—		Per dozen	100
No.	975—	41/2	Per dozen	
No.	986—	5	Per dozen	6.70
No.	976-21/2 x	3	Per dozen	4.00
No.	977—	31/2	Per dozen	4.50
No.	750—		Per dozen	
No.	751—		Per dozen	
No.	752—		Per dozen	
No.	753—		Per dozen	
No.	754—		Per dozen	
No.	755 - 23/4 x		Per dozen	
	756—		Per dozen	
No.	757—		Per dozen	
No.	758—		Per dozen	
No.	759—3 x		Per dozen	
No.	760—		Per dozen	
No.	761—		Per dozen	

### Extra Select Hickory Cant Hook or Peavey Handles



Highly polished, ringed and finished with linseed oil or lacquer—a very superior handle.

No. 978-21/2 x	4	Per dozen\$	8.50
		Per dozen	
No. 980—		Per dozen	
No. 981—	51/2	Per dozen	10.00

Prices are for Handles not bored; if wanted bored for Peavey Pick add 15 cents net per dozen.

Order by number. When not specified bored, we always ship unbored

# WHITE ASH PIKE POLE HANDLES Made from Select Second Growth Ohio Timber

No. 983— 4½ ft. in length, 15% in. diameter. Per dozen. \$5.50  No. 984— 6 ft. in length, 15% in. diameter. Per dozen. 7.00  No. 985— 8 ft. in length, 15% in. diameter. Per dozen. 9.00  No. 775—10 ft. in length, 15% in. diameter. Per dozen. 10.60  No. 776—12 ft. in length, 15% in. diameter. Per dozen. 11.25  No. 777—14 ft. in length, 15% in. diameter. Per dozen. 13.75  No. 778—16 ft. in length, 15% in. diameter. Per dozen. 17.50  No. 779—18 ft. in length, 15% in. diameter. Per dozen. 25.00  No. 780—20 ft. in length, 15% in. diameter. Per dozen. 37.50  Hand_Spike Handles								
No. 781—3 x 6       ft. in length Maple.       Per dozen.       \$ 6.20         No. 782—3 x 6½       ft. in length Maple.       Per dozen.       8.00         No. 783—3 x 7       ft. in length Maple.       Per dozen.       10.00								
Bark Spud Handles								
No. 784—Select Maple, 12 in. long (exclusive of socket). Per dozen\$1.00								
Rock Maple Pickaroon Handles								
No. 881—12 inch Lumber Sorter's Handles. Per dozen\$ .90								
No. 882—18 inch Lumber Sorter's Handles. Per dozen 1.00								
No. 883—24 inch Mill Pickaroon Handles. Per dozen								
No. 885—36 inch Mill Pickaroon Handles. Per dozen								
Hickory Capstan Bars								
Number. 886 887 888 889 890 891 892 893 Size 4'x2!/2" 41/2'x21/2" 41/2'x23/4" 5'x23/4" 5'x23/4" 5'x3" 5'\(\frac{1}{2}\)'x23/4" 5'\(\frac{1}{2}\)'x23/4" 5'\(\frac{1}{2}\)'x3" 6'\(\frac{1}{2}\)'								
Per Doz. \$6.20 7.00 8.40 9.20 10.10 10.60 11.70 12.70								
Hickory Jack Handles								
Number. 990 991 992 993 994 995 996 997								
Size 4'x2!/2" 41/2'x21/2" 41/2'x23/4" 5'x23/4" 5½'x23/4" 5'x3" 5½'x3" 6'x3"  Per Doz. \$5.60 6.30 7.50 8.30 9.10 9.60 10.60 11.50								
Tamper Handles								
Tamper Handres								

ORDER BY NUMBER

We manufacture to your order from selected Rock Maple timber.

# TABLE OF APPROXIMATE SHIPPING WEIGHTS Malleable Socket Peavies

Weight per dozen							
Length of handle, feet	3	31/2	4	41/2	5	51/2	6
21/4 in. Maple handles	90	95	100	105	110		lbs.
21/2 in. Maple handles	95	102	110	116	122	128	135 lbs.
23/4 in. Maple handles				132	142	155	165 lbs.
3 in. Maple handles					160	170	180 lbs.
21/4 in. Hickory handles	95	100	105	110	115		lbs.
21/2 in. Hickory handles	98	106	115	122	128	135	140 lbs.
23/4 in. Hickory handles				138	146	160	170 lbs.
3 in. Hickory handles					170	180	190 lbs.

Forged Steel Socket Peavies 5 lbs. per dozen less.

#### Cant Hooks

Weight per dozen							
Length of handle, feet	3	31/2	4	41/2	5	51/2	6
21/4 in. Maple handles	60	67	75	80	85		lbs.
21/2 in. Maple handles	74	82	90	94	100	108	lbs.
23/4 in. Maple handles				105	110	115	122 lbs.
3 in. Maple handles					130	135	142 lbs.
21/4 in. Hickory handles	65	72	80	85	90		lbs.
21/2 in. Hickory handles	77	88	95	100	105	110	lbs.
23/4 in. Hickory handles				110	115	120	130 lbs.
3 in. Hickory handles					135	142	150 lbs.

Timber Carriers, Maple, 100 lbs.; Hickory, 110 lbs.

Timber Carriers, Mapie	Timber Carriers, Wapte, 100 lbs., Thekory, 110 lbs.								
Pike Poles	10	12	14		16	18	20	ft.	
With Pike and Hook	78	88	98	1	05	115	125	lbs.	
With Pike only	73	83	93	1	00	110	120	lbs.	
Pickaroons				12	24	30	36	in.	
Per dozen				15	18	23	27	lbs.	
			7/8		1	11/8	11/4	in.	
Skidding Tongs. Per dozen			160	2	00	275	375	lbs.	
Swamp Hooks. Per dozen			60		65	80	110	lbs.	
Grapple Hooks. Per dozen			100	1	20	140	190	lbs.	
			21/4	2	1/2	23/4	3	in.	
Cant Hook Clasps. Per doz	en		10		12	16	18	lbs.	
Cant Hook Clips. Per doz	en						10	lbs.	

# TABLE OF APPROXIMATE SHIPPING WEIGHTS

Hooks only. Per dozen  Hooks only. Per dozen  Toe Rings. Per dozen  Combined Clip and Toe Ring.					ź	11/		
Peavey Sockets. Per dozen		2½ 24		$\frac{21/2}{30}$	23	6	3 38	in. lbs.
Peavey Picks. Per dozen Pike Pole Pikes. Per dozen Hookaroon Heads, Heavy. Per							. 8	lbs. lbs.
Hookaroon Heads, Light. Per Corner Bind Hooks. Per dozen Logging Dogs. Per dozen							. 21	lbs. lbs. lbs.
Load Binders. Per dozen 1/4 5-	16 3/8	7-16	···	5/8	3/4			lbs.
Cold Shuts, per 100 6 1 Loading Blocks. Per dozen		25	38	8 68	120		. 150	lbs.
Bark Spuds. Per dozen  Horse Shoe Dollies. Each  Timber Trucks. Each						16 t	o 30	
Side Car Door Roller. Each End Car Door Roller. Each Chain Dogs. Per 100		 					38	
				3/4 90	12	8 20	1 150	in. lbs.
Eye Dogs. Per 100 Weight per dozen Bundled.			7-16 38	1/ <sub>2</sub> 55		5/8 90	3/ <sub>4</sub> 150	in. lbs.
Length feet	.31	1/ <sub>2</sub> 34 38	4 37 42	41/ <sub>2</sub> 40 46	5 43 50	5½ 55	6	lbs.
23/4 in. Maple handle		37	41	53 45	58 72 49	65 80 55		lbs. lbs.
2½ in. Hickory handles	. 4	13	47	51 60	55 65 80	60 70 87	65 75 95	
Weight per dozen. Length Pike Poles not ironed	10	12 78		4 1 8 9		18 105		ft. lbs.

# TABLE OF APPROXIMATE SHIPPING WEIGHTS Index

PAGE	Page
Bark Spuds	Loading Blocks46
Bolts, Cant Hook and Peavey .55	Loading Hooks39
Boat Poles	Load Binders53
Cant Hooks	Logging Dogs53
Cant Hook Handles59-61	Lug Hooks
Car Door Rollers	Line Hooks
Chain Dogs50	Marlin Spikes45
Chain Hooks52	Mill Pickaroons38
Clasps for Cant Hooks56	Marking Hammer47
Clevises, Evener54	Peavies4-18
Cant Hook Clips56	Peavey Picks57
Cold Shuts	Peavey Sockets57
Corner Bind Hooks53	Pike Poles, Complete36
Crotch Grabs and Trailers 51	P.P. Pikes and Ferrules56
Car Movers	Pike Pole Handles61
Choker Hooks44	Rafting Dogs50
Climbers, "Poles"53	Setting Poles
Evener Staples54	Sheaves
Evener Swivel Hooks 54	Skidding Tongs40-43
Eye Dogs 50	Stump Tongs
Grab Hooks52	Swamp Hooks37
Grapple Hooks41	Swivel Hooks54
Grab Hooks (Pacific Coast) 44	Swivel Line Hooks44
Half Breed Pike Poles37	Swamp Hooks (Pacific Coast) 45
Handles (all kinds)58-61	Southern Boat Hooks56
Hand Spikes	Timber Carriers35
Hookaroon Picks54	Toe Rings57
Hooks, Peavy and Cant Hook 55	Trucks, Timber
Horse Shoe Dollies48	Trucks, Box49
Hookaroons	Wedges, Saw54

